## **e**Bird

## **Target Species**

Based on 76,498 complete checklists

**419** species observed in <u>Arizona, US (subnational1/US-AZ)</u> in **Feb** that you need for your **Arizona Life List** 

1. Black-bellied Whistling-Duck	0.0314% frequency
2. Fulvous Whistling-Duck	0.0039%
3. Snow Goose	1.67%
4. Ross's Goose	0.4392%
5. Greater White-fronted Goose	0.4484%
6. Cackling Goose	0.0876%
7. Canada Goose	6.54%
8. Mute Swan	0.0222%
9. Trumpeter Swan	0.0105%
10. Tundra Swan	0.1843%
11. Egyptian Goose	0.0026%
12. Wood Duck	0.7726%
13. Blue-winged Teal	<b>1.31%</b>
14. Cinnamon Teal	8.56%
15. Northern Shoveler	14.56%
16. <b>Gadwall</b>	8.63%
17. Eurasian Wigeon	0.2013%
18. American Wigeon	<u>11.84</u> %
19. Mallard	10.65%
20. Mexican Duck	<u>1</u> .64%
21. Northern Pintail	6.01%
22. Green-winged Teal	10.45% Go to top

23. Canvasback	<u>4.</u> 19%
24. Redhead	<u>3</u> .46%
25. Ring-necked Duck	12.36%
26. Tufted Duck	0.0039%
27. Greater Scaup	0.5713%
28. Lesser Scaup	6.00%
29. Surf Scoter	0.0418%
30. White-winged Scoter	0.0928%
31. Black Scoter	0.0183%
32. Long-tailed Duck	0.0471%
33. Bufflehead	<u>5.</u> 81%
34. Common Goldeneye	2.38%
35. Barrow's Goldeneye	0.2131%
36. Hooded Merganser	<u>1</u> .76%
37. Common Merganser	5.58%
38. Red-breasted Merganser	0.2562%
39. Ruddy Duck	14.49%
40. Scaled Quail	0.4118%
41. Elegant Quail	0.0013%
42. Gambel's Quail	20.20%
43. Montezuma Quail	0.2719%
44. Chukar	0.0078%
45. Ring-necked Pheasant	0.0105%
46. Dusky Grouse	0.0000%
47. Wild Turkey	1.39%
48. Least Grebe	0.0758%
49. Pied-billed Grebe	13.01% Go to top

50. Horned Grebe	0.2484%
51. Red-necked Grebe	0.0157%
52. Eared Grebe	<b>2</b> .61%
53. Western Grebe	<mark>1</mark> .52%
54. Clark's Grebe	0.7713%
55. Rock Pigeon	14.94%
56. Band-tailed Pigeon	0.0536%
57. Eurasian Collared-Dove	18.80%
58. African Collared-Dove	0.0013%
59. Inca Dove	6.06%
60. Common Ground Dove	0.7713%
61. Ruddy Ground Dove	0.3216%
62. White-winged Dove	8.06%
63. Mourning Dove	45.39%
64. Greater Roadrunner	7.52%
65. Lesser Nighthawk	0.0092%
66. Common Poorwill	0.1281%
67. White-throated Swift	1.27%
68. Rivoli's Hummingbird	1.09%
69. Blue-throated Mountain-gem	0.4052%
70. Ruby-throated Hummingbird	0.0000%
71. Black-chinned Hummingbird	0.0536%
72. Anna's Hummingbird	29.75%
73. Costa's Hummingbird	<u>7.5</u> 0%
74. Broad-tailed Hummingbird	0.0549%
75. Rufous Hummingbird	0.3935%

76. Allen's Hummingbird	0.0745%
77. Calliope Hummingbird	0.0863%
78. Broad-billed Hummingbird	<u>4.</u> 47%
79. Violet-crowned Hummingbird	0.9177%
80. Ridgway's Rail	0.0811%
81. Virginia Rail	1.24%
82. <b>Sora</b>	2.76%
83. Common Gallinule	<u>3</u> .39%
84. American Coot	23.45%
85. Black Rail	0.0235%
86. Sandhill Crane	1.83%
87. Black-necked Stilt	<b>3.27</b> %
88. American Avocet	2.12%
89. Snowy Plover	0.0026%
90. Semipalmated Plover	0.0288%
91. Killdeer	12.19%
92. Mountain Plover	0.2327%
93. Northern Jacana	0.0288%
94. Long-billed Curlew	0.3386%
95. Ruff	0.0000%
96. Sanderling	0.0013%
97. <b>Dunlin</b>	0.1804%
98. Least Sandpiper	4.88%
99. Western Sandpiper	0.1150%
100. Short-billed Dowitcher	0.0013%
101. Long-billed Dowitcher	2.65% Go to top

102. Wilson's Snipe	2.04%
103. Wilson's Phalarope	0.0039%
104. Red-necked Phalarope	0.0013%
105. Red Phalarope	0.0379%
106. Spotted Sandpiper	2.28%
	0.0941%
107. Solitary Sandpiper	T .
108. Greater Yellowlegs	2.37%
109. Willet	0.0000%
110. Lesser Yellowlegs	0.2026%
111. Black-legged Kittiwake	0.0118%
112. Bonaparte's Gull	0.0105%
113. Laughing Gull	0.0144%
114. Heermann's Gull	0.0026%
115. Mew Gull	0.0157%
116. Ring-billed Gull	2.07%
117. California Gull	0.2392%
118. Herring Gull	0.0497%
119. Iceland Gull	0.0026%
120. Lesser Black-backed Gull	0.0000%
121. Caspian Tern	0.0405%
122. Forster's Tern	0.0170%
123. Red-throated Loon	0.0523%
124. Pacific Loon	0.1451%
125. Common Loon	0.4301%
126. Yellow-billed Loon	0.0405%
127. Blue-footed Booby	0.0039%
128. Brown Booby	0.0078% Go to top

129. Neotropic Cormorant	8.24%
130. Double-crested Cormorant	7.35%
131. American White Pelican	1.27%
132. Brown Pelican	0.1713%
133. American Bittern	0.1673%
134. Least Bittern	0.2301%
135. Great Blue Heron	10.90%
136. Great Egret	9.28%
137. Snowy Egret	4.49%
138. Cattle Egret	0.3595%
139. Green Heron	<u>3</u> .69%
140. Black-crowned Night-Heron	4.09%
141. White Ibis	0.0118%
142. White-faced Ibis	0.7321%
143. Roseate Spoonbill	0.0039%
144. California Condor	0.1373%
145. Black Vulture	1.55%
146. Turkey Vulture	5.61%
147. Osprey	2.63%
148. White-tailed Kite	0.2680%
149. Golden Eagle	0.6967%
150. Northern Harrier	8.63%
151. Sharp-shinned Hawk	2.80%
152. Cooper's Hawk	11.21%
153. Northern Goshawk	0.0288%
154. Bald Eagle	2.57%

155. Common Black Hawk	0.1686%
156. Harris's Hawk	<b>2</b> .75%
157. <b>Gray Hawk</b>	0.0745%
158. Red-shouldered Hawk	0.1582%
159. Short-tailed Hawk	0.0092%
160. Swainson's Hawk	0.0144%
161. Zone-tailed Hawk	0.1137%
162. Red-tailed Hawk	24.63%
163. Rough-legged Hawk	0.1216%
164. Ferruginous Hawk	1.10%
165. Barn Owl	0.3386%
166. Whiskered Screech-Owl	0.2222%
167. Western Screech-Owl	0.7438%
168. Great Horned Owl	<u>3</u> .09%
169. Northern Pygmy-Owl	0.1111%
170. Ferruginous Pygmy-Owl	0.0209%
171. Elf Owl	0.0092%
172. Burrowing Owl	0.8811%
173. Spotted Owl	0.0575%
174. Long-eared Owl	0.1294%
175. Short-eared Owl	0.0405%
176. Northern Saw-whet Owl	0.0484%
177. Eared Quetzal	0.0039%
178. Elegant Trogon	0.5242%
179. Ringed Kingfisher	0.0144%
180. Belted Kingfisher	4.04% Go to top

	0.005.40/
181. <b>Green Kingfisher</b>	0.0954%
182. Williamson's Sapsucker	0.3242%
183. Yellow-bellied Sapsucker	0.2353%
184. Red-naped Sapsucker	<b>3.71%</b>
185. Red-breasted Sapsucker	0.1477%
186. Lewis's Woodpecker	0.5726%
187. Red-headed Woodpecker	0.0000%
188. Acorn Woodpecker	<b>7.11%</b>
189. Gila Woodpecker	37.88%
190. American Three-toed Woodpecker	0.0105%
191. Downy Woodpecker	0.1830%
192. Ladder-backed Woodpecker	17.82%
193. Hairy Woodpecker	2.22%
194. Arizona Woodpecker	2.13%
195. Northern Flicker	<u>15.43%</u>
196. Gilded Flicker	<u>4</u> .04%
197. Crested Caracara	0.5020%
198. American Kestrel	12.48%
199. Merlin	1.04%
200. Peregrine Falcon	1.39%
201. Prairie Falcon	1.03%
202. Rosy-faced Lovebird	2.15%
203. Yellow-collared Lovebird	0.0170%
204. Monk Parakeet	0.0497%
205. Nanday Parakeet	0.0288%
206. Rose-throated Becard	0.1268%
207. Northern Beardless-Tyrannulet	0.3699% Go to top

208. Greater Pewee	0.1516%
209. Yellow-bellied Flycatcher	0.0013%
210. Hammond's Flycatcher	1.55%
211. Gray Flycatcher	<b>2</b> .91%
212. Dusky Flycatcher	0.4928%
213. Pacific-slope Flycatcher	0.0327%
214. Black Phoebe	18.14%
215. Eastern Phoebe	0.2065%
216. Say's Phoebe	18.22%
217. Vermilion Flycatcher	10.01%
218. Dusky-capped Flycatcher	0.0052%
219. Ash-throated Flycatcher	1.41%
220. Nutting's Flycatcher	0.0523%
221. Couch's Kingbird	0.0065%
222. Cassin's Kingbird	0.4601%
223. Thick-billed Kingbird	0.0013%
224. Western Kingbird	0.0092%
225. Bell's Vireo	0.0680%
226. Gray Vireo	0.0340%
227. Hutton's Vireo	<u>3</u> .14%
228. Cassin's Vireo	0.5974%
229. Plumbeous Vireo	1.21%
230. Warbling Vireo	0.0052%
231. Loggerhead Shrike	<u>6.3</u> 7%
232. Northern Shrike	0.0092%
233. Canada Jay	0.0026%

234. Pinyon Jay	0.3007%
235. Steller's Jay	2.49%
236. California Scrub-Jay	0.0026%
237. Woodhouse's Scrub-Jay	4.04%
238. Mexican Jay	5.71%
239. Black-billed Magpie	0.0052%
240. Clark's Nutcracker	0.0654%
241. American Crow	1.67%
242. Chihuahuan Raven	2.04%
243. Common Raven	27.00%
244. Black-capped Chickadee	0.0039%
245. Mountain Chickadee	2.95%
246. Mexican Chickadee	0.0745%
247. Bridled Titmouse	9.78%
248. Juniper Titmouse	1.57%
249. Verdin	32.70%
250. Horned Lark	2.98%
251. Northern Rough-winged Swallow	7.98%
252. Purple Martin	0.0013%
253. Brown-chested Martin	0.0013%
254. Tree Swallow	3.01%
255. Violet-green Swallow	1.55%
256. Bank Swallow	0.0144%
257. Barn Swallow	0.0876%
258. Cliff Swallow	0.9700%
259. Cave Swallow	0.0065% <u>Go to top</u>

260. Bushtit	2.33%
261. Golden-crowned Kinglet	0.1909%
262. Ruby-crowned Kinglet	25.88%
263. Red-breasted Nuthatch	0.6379%
264. White-breasted Nuthatch	11.07%
265. Pygmy Nuthatch	<b>2</b> .81%
266. Brown Creeper	2.00%
267. Blue-gray Gnatcatcher	<b>3.</b> 68%
268. Black-tailed Gnatcatcher	10.17%
269. Black-capped Gnatcatcher	0.5216%
270. Rock Wren	5.56%
271. Canyon Wren	<u>4.</u> 50%
272. House Wren	<u>3.</u> 84%
273. Pacific Wren	0.1124%
274. Winter Wren	0.1242%
275. Sedge Wren	0.0157%
276. Marsh Wren	5.78%
277. Bewick's Wren	14.39%
278. Cactus Wren	18.28%
279. Sinaloa Wren	0.1817%
280. American Dipper	0.0784%
281. European Starling	16.35%
282. Blue Mockingbird	0.0366%
283. Gray Catbird	0.0928%
284. Curve-billed Thrasher	24.46%
285. Brown Thrasher	0.0876%
286. Bendire's Thrasher	1.17% Go to top

288. Crissal Thrasher       2.60%         289. Sage Thrasher       1.06%         290. Northern Mockingbird       18.68%         291. Eastern Bluebird       0.2967%         292. Western Bluebird       0.9843%         293. Mountain Bluebird       0.9843%         294. Townsend's Solitaire       1.69%         295. Varied Thrush       0.0366%         296. Hermit Thrush       6.42%         297. Aztec Thrush       0.0000%         298. White-throated Thrush       0.1869%         299. American Robin       7.40%         300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%         307. Sprague's Pipit       0.0824%	
290. Northern Mockingbird  291. Eastern Bluebird  292. Western Bluebird  293. Mountain Bluebird  294. Townsend's Solitaire  295. Varied Thrush  296. Hermit Thrush  297. Aztec Thrush  298. White-throated Thrush  299. American Robin  299. American Robin  300. Rufous-backed Robin  301. Bohemian Waxwing  302. Cedar Waxwing  303. Phainopepla  304. Olive Warbler  305. House Sparrow  306. American Pipit  307. American Pipit  308. American Pipit  308. American Pipit  309. American Pipit  300. Rufous-backed Robin  301. Bohemian Waxwing  302. Cedar Waxwing  303. Phainopepla  304. Olive Warbler  305. House Sparrow  306. American Pipit	
291. Eastern Bluebird 7.65%  292. Western Bluebird 7.65%  293. Mountain Bluebird 0.9843%  294. Townsend's Solitaire 1.69%  295. Varied Thrush 0.0366%  296. Hermit Thrush 6.42%  297. Aztec Thrush 0.0000%  298. White-throated Thrush 0.1869%  299. American Robin 7.40%  300. Rufous-backed Robin 0.5373%  301. Bohemian Waxwing 0.0000%  302. Cedar Waxwing 1.50%  303. Phainopepla 15.38%  304. Olive Warbler 0.4235%  305. House Sparrow 23.14%  306. American Pipit 2.71%	
292. Western Bluebird       7.65%         293. Mountain Bluebird       0.9843%         294. Townsend's Solitaire       1.69%         295. Varied Thrush       0.0366%         296. Hermit Thrush       6.42%         297. Aztec Thrush       0.0000%         298. White-throated Thrush       0.1869%         299. American Robin       7.40%         300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
293. Mountain Bluebird       0.9843%         294. Townsend's Solitaire       1.69%         295. Varied Thrush       0.0366%         296. Hermit Thrush       6.42%         297. Aztec Thrush       0.0000%         298. White-throated Thrush       0.1869%         299. American Robin       7.40%         300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
294. Townsend's Solitaire       1.69%         295. Varied Thrush       0.0366%         296. Hermit Thrush       6.42%         297. Aztec Thrush       0.0000%         298. White-throated Thrush       0.1869%         299. American Robin       7.40%         300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
295. Varied Thrush 296. Hermit Thrush 297. Aztec Thrush 298. White-throated Thrush 299. American Robin 300. Rufous-backed Robin 301. Bohemian Waxwing 302. Cedar Waxwing 303. Phainopepla 304. Olive Warbler 305. House Sparrow 306. American Pipit 307. Aztec Thrush 308. O.0000% 309. O.00000% 309. O.000000% 309. O.0000000000000000000000000000000000	
296. Hermit Thrush       6.42%         297. Aztec Thrush       0.0000%         298. White-throated Thrush       0.1869%         299. American Robin       7.40%         300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
297. Aztec Thrush       0.0000%         298. White-throated Thrush       0.1869%         299. American Robin       7.40%         300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
298. White-throated Thrush       0.1869%         299. American Robin       7.40%         300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
299. American Robin       7.40%         300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
300. Rufous-backed Robin       0.5373%         301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
301. Bohemian Waxwing       0.0000%         302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
302. Cedar Waxwing       1.50%         303. Phainopepla       15.38%         304. Olive Warbler       0.4235%         305. House Sparrow       23.14%         306. American Pipit       2.71%	
303. Phainopepla 304. Olive Warbler 305. House Sparrow 306. American Pipit 307. 2.71%	
304. Olive Warbler  305. House Sparrow  306. American Pipit  2.71%	
305. House Sparrow 23.14% 306. American Pipit 2.71%	
306. American Pipit 2.71%	
307. Sprague's Pipit 0.0824%	
308. Evening Grosbeak 0.3543%	
309. Pine Grosbeak 0.0013%	
310. Gray-crowned Rosy-Finch 0.0144%	
311. Black Rosy-Finch 0.0209%	
312. House Finch 49.21%	<u> </u>

313. Purple Finch	0.0118%
314. Cassin's Finch	1.49%
315. Common Redpoll	0.0065%
316. Red Crossbill	0.4157%
317. Pine Siskin	6.19%
318. Lesser Goldfinch	30.12%
319. Lawrence's Goldfinch	0.8353%
320. American Goldfinch	0.8497%
321. Lapland Longspur	0.0327%
322. Chestnut-collared Longspur	0.4405%
323. Smith's Longspur	0.0065%
324. McCown's Longspur	0.1085%
325. Rufous-winged Sparrow	<u>5.</u> 05%
326. Botteri's Sparrow	0.0327%
327. Cassin's Sparrow	0.1412%
328. Grasshopper Sparrow	0.3869%
329. Chipping Sparrow	11.67%
330. Clay-colored Sparrow	0.0680%
331. Black-chinned Sparrow	1.11%
332. Brewer's Sparrow	<u>4.</u> 85%
333. Black-throated Sparrow	9.69%
334. Five-striped Sparrow	0.0026%
335. Lark Sparrow	<u>3</u> .58%
336. Lark Bunting	1.56%
337. Fox Sparrow	0.4301%
338. Dark-eyed Junco	14.66% Go to top

339. Yellow-eyed Junco	2.38%
340. White-crowned Sparrow	33.72%
341. Golden-crowned Sparrow	0.1059%
342. Harris's Sparrow	0.0758%
343. White-throated Sparrow	0.9556%
344. Sagebrush Sparrow	0.6562%
345. Bell's Sparrow	0.1255%
346. Vesper Sparrow	<u>4.</u> 46%
347. LeConte's Sparrow	0.0000%
348. Savannah Sparrow	<u>3</u> .73%
349. Baird's Sparrow	0.1111%
350. Song Sparrow	13.73%
351. Lincoln's Sparrow	9.76%
352. Swamp Sparrow	0.4706%
353. Canyon Towhee	8.05%
354. Abert's Towhee	22.21%
355. Rufous-crowned Sparrow	2.44%
356. Green-tailed Towhee	4.27%
357. Spotted Towhee	7.85%
358. Eastern Towhee	0.0000%
359. Yellow-breasted Chat	0.0026%
360. Yellow-headed Blackbird	2.87%
361. Western Meadowlark	4.33%
362. Eastern Meadowlark	1.43%
363. Orchard Oriole	0.0405%
364. Hooded Oriole	0.0222%
365. Streak-backed Oriole	0.1634% Go to top

366. Bullock's Oriole	0.0758%
367. Baltimore Oriole	0.0484%
368. Scott's Oriole	0.0980%
369. Red-winged Blackbird	14.21%
370. Bronzed Cowbird	0.3425%
371. Brown-headed Cowbird	1.84%
372. Rusty Blackbird	0.0680%
373. Brewer's Blackbird	4.07%
374. Common Grackle	0.0013%
375. Great-tailed Grackle	21.81%
376. Ovenbird	0.0065%
377. Worm-eating Warbler	0.0092%
378. <b>Louisiana Waterthrush</b>	0.2157%
379. Northern Waterthrush	0.0235%
380. Black-and-white Warbler	0.5856%
381. Crescent-chested Warbler	0.0078%
382. <b>Tennessee Warbler</b>	0.0170%
383. Orange-crowned Warbler	<u>7.9</u> 1%
384. Lucy's Warbler	0.0092%
385. MacGillivray's Warbler	0.0026%
386. Common Yellowthroat	2.87%
387. American Redstart	0.1033%
388. Cape May Warbler	0.0013%
389. Northern Parula	0.2157%
390. Magnolia Warbler	0.0118%
391. Yellow Warbler	0.2418%

392. Chestnut-sided Warbler	0.0392%
393. Black-throated Blue Warbler	0.0536%
394. Palm Warbler	0.0183%
395. Pine Warbler	0.0118%
396. Yellow-rumped Warbler	29.00%
397. Yellow-throated Warbler	0.0614%
398. Prairie Warbler	0.0065%
399. Black-throated Gray Warbler	1.78%
400. Townsend's Warbler	0.5477%
401. Hermit Warbler	0.0105%
402. Black-throated Green Warbler	0.0118%
403. Rufous-capped Warbler	0.3072%
404. Wilson's Warbler	0.1595%
405. Red-faced Warbler	0.0013%
406. Painted Redstart	1.13%
407. Hepatic Tanager	1.14%
408. Summer Tanager	0.1961%
409. Western Tanager	0.0431%
410. Northern Cardinal	15.46%
411. Pyrrhuloxia	9.13%
412. Rose-breasted Grosbeak	0.0065%
413. Black-headed Grosbeak	0.0065%
414. Blue Grosbeak	0.1059%
415. Lazuli Bunting	1.04%
416. Indigo Bunting	0.0118%
417. Varied Bunting	0.0026% Go to top

418. Painted Bunting	0.0026%
419. Dickcissel	0.0000%