eBird

Target Species

Based on 59,875 complete checklists

433 species observed in <u>Arizona, US (subnational1/US-AZ)</u> in **Jul** that you need for your **Arizona Life List**

1. Black-bellied Whistling-Duck	1.20% frequency
2. Fulvous Whistling-Duck	0.0835%
3. Snow Goose	0.1269%
4. Ross's Goose	0.0167%
5. Greater White-fronted Goose	0.0067%
6. Cackling Goose	0.0000%
7. Canada Goose	2.90%
8. Mute Swan	0.0267%
9. Wood Duck	0.5762%
10. Blue-winged Teal	0.4944%
11. Cinnamon Teal	2.96%
12. Northern Shoveler	0.8050%
13. Gadwall	0.5745%
14. American Wigeon	0.9904%
15. Mallard	5.80%
16. Mexican Duck	1.40%
17. Northern Pintail	0.1770%
18. Green-winged Teal	0.1821%
19. Canvasback	0.0668%
20. Redhead	0.6514%
21. Ring-necked Duck	0.5311%
22. Greater Scaup	0.0284% Go to top

23. Lesser Scaup	0.1821%
24. Surf Scoter	0.0017%
25. Bufflehead	0.0167%
26. Hooded Merganser	0.0067%
27. Common Merganser	0.2038%
28. Red-breasted Merganser	0.0083%
29. Ruddy Duck	3. 86%
30. Northern Bobwhite	0.0000%
31. Scaled Quail	1.80%
32. California Quail	0.0033%
зз. Gambel's Quail	19.49%
34. Montezuma Quail	1.83%
35. Chukar	0.0017%
36. Ring-necked Pheasant	0.0067%
37. Dusky Grouse	0.0818%
38. Wild Turkey	2.22%
39. Least Grebe	0.0869%
40. Pied-billed Grebe	4.02%
41. Horned Grebe	0.0017%
42. Eared Grebe	0.7833%
43. Western Grebe	0.5879%
44. Clark's Grebe	0.3507%
45. Rock Pigeon	10.30%
46. Band-tailed Pigeon	2 .64%
47. Eurasian Collared-Dove	<u>15.34%</u>
48. Inca Dove	5.17%
49. Common Ground Dove	3.55% Go to top

50. Ruddy Ground Dove	0.0083%
51. White-winged Dove	43.33%
52. Mourning Dove	46.23%
53. Groove-billed Ani	0.0301%
54. Greater Roadrunner	9.57%
55. Yellow-billed Cuckoo	4.88%
56. Lesser Nighthawk	4.79%
57. Common Nighthawk	0.8702%
58. Common Poorwill	1.70%
59. Buff-collared Nightjar	0.3223%
60. Mexican Whip-poor-will	0.8902%
61. Black Swift	0.0017%
62. Chimney Swift	0.0000%
63. White-throated Swift	<u>3</u> .56%
64. Rivoli's Hummingbird	5.82%
65. Plain-capped Starthroat	0.5361%
66. Blue-throated Mountain-gem	2.49%
67. Lucifer Hummingbird	1.00%
68. Ruby-throated Hummingbird	0.0100%
69. Black-chinned Hummingbird	19.36%
70. Anna's Hummingbird	16.49%
71. Costa's Hummingbird	<u>4.</u> 45%
72. Broad-tailed Hummingbird	10.87%
73. Rufous Hummingbird	8.54%
74. Allen's Hummingbird	0.1570%
75. Calliope Hummingbird	0.7850%

76. Broad-billed Hummingbird	16.97%
77. Berylline Hummingbird	0.3073%
78. Cinnamon Hummingbird	0.0000%
79. Violet-crowned Hummingbird	2.44%
80. White-eared Hummingbird	0.4893%
81. Ridgway's Rail	0.1453%
82. Virginia Rail	0.4626%
83. Sora	0.6898%
84. Common Gallinule	1.95%
85. American Coot	9.27%
86. Purple Gallinule	0.1069%
87. Black Rail	0.0284%
88. Sandhill Crane	0.0117%
89. Common Crane	0.0919%
90. Black-necked Stilt	4.59%
91. American Avocet	2.13%
92. Black-bellied Plover	0.0267%
93. American Golden-Plover	0.0000%
94. Pacific Golden-Plover	0.0100%
95. Snowy Plover	0.1603%
96. Semipalmated Plover	0.2555%
97. Killdeer	9.98%
98. Mountain Plover	0.0017%
99. Northern Jacana	0.0017%
100. Upland Sandpiper	0.0033%
101. Whimbrel	0.0334% Go to top

102. Long-billed Curlew	0.9353%
103. Hudsonian Godwit	0.0768%
104. Marbled Godwit	0.2706%
105. Ruddy Turnstone	0.0117%
106. Red Knot	0.0334%
107. Stilt Sandpiper	0.4159%
108. Sanderling	0.0200%
109. Dunlin	0.0017%
110. Baird's Sandpiper	1.06%
111. Least Sandpiper	3.68%
112. White-rumped Sandpiper	0.0017%
113. Pectoral Sandpiper	0.0200%
114. Semipalmated Sandpiper	0.1420%
115. Western Sandpiper	1.98%
116. Short-billed Dowitcher	0.0468%
117. Long-billed Dowitcher	1.60%
118. Wilson's Snipe	0.0267%
119. Wilson's Phalarope	2.11%
120. Red-necked Phalarope	0.0568%
121. Spotted Sandpiper	<u>3</u> .68%
122. Solitary Sandpiper	0.5278%
123. Greater Yellowlegs	2.14%
124. Willet	0.4075%
125. Lesser Yellowlegs	1.09%
126. Sabine's Gull	0.0017%
127. Bonaparte's Gull	0.0100%
128. Laughing Gull	0.0100% Go to top

129. Franklin's Gull	0.0585%
130. Ring-billed Gull	0.4359%
131. Western Gull	0.0000%
132. California Gull	0.3073%
133. Least Tern	0.0017%
134. Caspian Tern	0.1353%
135. Black Tern	0.1821%
136. Common Tern	0.0083%
137. Forster's Tern	0.1470%
138. Royal Tern	0.0351%
139. Elegant Tern	0.0050%
140. Black Skimmer	0.0267%
141. Common Loon	0.0184%
142. Yellow-billed Loon	0.0017%
143. Wood Stork	0.0000%
144. Magnificent Frigatebird	0.0033%
145. Neotropic Cormorant	4.43%
146. Double-crested Cormorant	2.99%
147. American White Pelican	0.1887%
148. Brown Pelican	0.3190%
149. American Bittern	0.0017%
150. Least Bittern	0.5979%
151. Great Blue Heron	10.24%
152. Great Egret	3.44%
153. Snowy Egret	2.99%
154. Little Blue Heron	0.0050%

155. Tricolored Heron	0.0952%
156. Reddish Egret	0.0134%
157. Cattle Egret	0.5094%
158. Green Heron	<u>4.</u> 47%
159. Black-crowned Night-Heron	<u>3</u> .58%
160. White Ibis	0.0067%
161. Glossy Ibis	0.0067%
162. White-faced Ibis	2.31%
163. Roseate Spoonbill	0.0050%
164. California Condor	0.3992%
165. Black Vulture	1.48%
166. Turkey Vulture	30.32%
167. Osprey	1.98%
168. White-tailed Kite	0.1036%
169. Golden Eagle	0.6313%
170. Mississippi Kite	0.2873%
171. Northern Harrier	0.1804%
172. Sharp-shinned Hawk	0.1787%
173. Cooper's Hawk	9.11%
174. Northern Goshawk	0.3891%
175. Bald Eagle	0.7215%
176. Common Black Hawk	1.10%
177. Harris's Hawk	1.09%
178. Gray Hawk	5.43%
179. Red-shouldered Hawk	0.0835%
180. Broad-winged Hawk	0.000% Go to top

181. Short-tailed Hawk	0.0752%
182. Swainson's Hawk	<u>3.</u> 86%
183. Zone-tailed Hawk	2 .76%
184. Red-tailed Hawk	13.73%
185. Ferruginous Hawk	0.0217%
186. Barn Owl	0.4710%
187. Flammulated Owl	0.1102%
188. Whiskered Screech-Owl	0.9687%
189. Western Screech-Owl	0.9370%
190. Great Horned Owl	2.06%
191. Northern Pygmy-Owl	0.5161%
192. Ferruginous Pygmy-Owl	0.0184%
193. Elf Owl	1.00%
194. Burrowing Owl	0.9503%
195. Spotted Owl	0.5562%
196. Long-eared Owl	0.0250%
197. Northern Saw-whet Owl	0.0284%
198. Eared Quetzal	0.0100%
199. Elegant Trogon	2.63 %
200. Belted Kingfisher	0.3324%
201. Green Kingfisher	0.0685%
202. Williamson's Sapsucker	0.5294%
203. Red-naped Sapsucker	0.3207%
204. Red-breasted Sapsucker	0.0017%
205. Lewis's Woodpecker	0.4092%
206. Red-headed Woodpecker	0.0000%
207. Acorn Woodpecker	15.04% Go to top

208. Gila Woodpecker	26.44%
209. American Three-toed Woodpecker	0.2572%
210. Downy Woodpecker	0.4058%
211. Ladder-backed Woodpecker	14.37%
212. Hairy Woodpecker	6.09%
213. Arizona Woodpecker	<u>4.</u> 42%
214. Northern Flicker	12.18%
215. Gilded Flicker	3.27 %
216. Crested Caracara	0.0685%
217. American Kestrel	7.00%
218. Merlin	0.0033%
219. Peregrine Falcon	1.83%
220. Prairie Falcon	0.3190%
221. Rosy-faced Lovebird	1.46%
222. Yellow-collared Lovebird	0.0100%
223. Monk Parakeet	0.0100%
224. Thick-billed Parrot	0.0000%
225. Nanday Parakeet	0.0033%
226. Rose-throated Becard	0.4843%
227. Northern Beardless-Tyrannulet	2.47 %
228. Tufted Flycatcher	0.2071%
229. Olive-sided Flycatcher	0.3591%
230. Greater Pewee	2.03%
231. Western Wood-Pewee	12.56%
232. Eastern Wood-Pewee	0.0017%
233. Willow Flycatcher	0.4593%

234. Hammond's Flycatcher	0.0033%
235. Gray Flycatcher	0.6347%
236. Dusky Flycatcher	0.2088%
237. Pine Flycatcher	0.0234%
238. Pacific-slope Flycatcher	0.1954%
239. Cordilleran Flycatcher	6.76%
240. Buff-breasted Flycatcher	1.12%
241. Black Phoebe	11.98%
242. Say's Phoebe	8.42%
243. Vermilion Flycatcher	12.36%
244. Dusky-capped Flycatcher	8.09%
245. Ash-throated Flycatcher	<u>15.75%</u>
246. Nutting's Flycatcher	0.0100%
247. Brown-crested Flycatcher	15.32%
248. Sulphur-bellied Flycatcher	4.49%
249. Tropical Kingbird	2.77%
250. Cassin's Kingbird	15.00%
250. Cassin's Kingbird251. Thick-billed Kingbird	15.00% 1.42%
251. Thick-billed Kingbird	1.42%
251. Thick-billed Kingbird252. Western Kingbird	1.42% 13.95%
 251. Thick-billed Kingbird 252. Western Kingbird 253. Eastern Kingbird 	1.42% 13.95% 0.0033%
 251. Thick-billed Kingbird 252. Western Kingbird 253. Eastern Kingbird 254. Scissor-tailed Flycatcher 	1.42% 13.95% 0.0033% 0.0234%
 251. Thick-billed Kingbird 252. Western Kingbird 253. Eastern Kingbird 254. Scissor-tailed Flycatcher 255. White-eyed Vireo 	1.42% 13.95% 0.0033% 0.0234% 0.0384%
 251. Thick-billed Kingbird 252. Western Kingbird 253. Eastern Kingbird 254. Scissor-tailed Flycatcher 255. White-eyed Vireo 256. Bell's Vireo 	1.42% 13.95% 0.0033% 0.0234% 0.0384% 14.04%

Oppositule Wines	0.04470/
260. Cassin's Vireo	0.0117%
261. Plumbeous Vireo	7.37%
262. Warbling Vireo	2.81%
263. Red-eyed Vireo	0.0117%
264. Yellow-green Vireo	0.0685%
265. Loggerhead Shrike	<u>4</u> .41%
266. Canada Jay	0.0919%
267. Pinyon Jay	0.4726%
268. Steller's Jay	8.66%
269. Woodhouse's Scrub-Jay	<u>4.</u> 21%
270. Mexican Jay	11.27%
271. Black-billed Magpie	0.0017%
272. Clark's Nutcracker	0.6831%
273. American Crow	3.40%
274. Chihuahuan Raven	1.77%
275. Common Raven	23.04%
276. Mountain Chickadee	7.00%
277. Mexican Chickadee	0.9353%
278. Bridled Titmouse	10.98%
279. Juniper Titmouse	1.92%
280. Verdin	25.46%
281. Horned Lark	1.61%
282. Northern Rough-winged Swallow	<u>4.</u> 78%
283. Purple Martin	4.67%
284. Tree Swallow	2.07%
285. Violet-green Swallow	8.80%
286. Bank Swallow	0.4426% Go to top

287. Barn Swallow	11.45%
288. Cliff Swallow	6.82%
289. Cave Swallow	0.0000%
290. Bushtit	<u>4.</u> 69%
291. Golden-crowned Kinglet	0.3106%
292. Ruby-crowned Kinglet	0.5178%
293. Red-breasted Nuthatch	2.27%
294. White-breasted Nuthatch	18.88%
295. Pygmy Nuthatch	8.17%
296. Brown Creeper	<u>4.</u> 76%
297. Blue-gray Gnatcatcher	3.59%
298. Black-tailed Gnatcatcher	8.98%
299. Black-capped Gnatcatcher	0.5645%
300. Rock Wren	3.81%
301. Canyon Wren	10.22%
302. House Wren	9.02%
303. Pacific Wren	0.0083%
304. Marsh Wren	0.2071%
305. Carolina Wren	0.0000%
306. Bewick's Wren	14.68%
307. Cactus Wren	15.09%
308. Sinaloa Wren	0.0117%
309. American Dipper	0.1537%
310. European Starling	8.34%
311. Gray Catbird	0.1821%
312. Curve-billed Thrasher	19.78%

313. Brown Thrasher	0.0017%
314. Bendire's Thrasher	0.4075%
315. LeConte's Thrasher	0.0651%
316. Crissal Thrasher	2.58%
317. Sage Thrasher	0.0401%
318. Northern Mockingbird	18.99%
319. Eastern Bluebird	0.4877%
320. Western Bluebird	6.60%
321. Mountain Bluebird	0.8150%
322. Townsend's Solitaire	0.4860%
323. Brown-backed Solitaire	0.0150%
324. Veery	0.0017%
325. Swainson's Thrush	0.0267%
326. Hermit Thrush	5.80%
327. Wood Thrush	0.0000%
328. Aztec Thrush	0.0234%
329. American Robin	12.05%
330. Rufous-backed Robin	0.0033%
331. Cedar Waxwing	0.0017%
332. Phainopepla	11.86%
333. Olive Warbler	1.52%
334. House Sparrow	17.34%
335. American Pipit	0.0284%
зз6. Evening Grosbeak	0.1019%
337. Pine Grosbeak	0.0083%
338. House Finch	41.79% Go to top

339. Cassin's Finch	0.2689%
340. Red Crossbill	1.32%
341. Pine Siskin	2.66%
342. Lesser Goldfinch	33.87%
343. Lawrence's Goldfinch	0.0200%
344. American Goldfinch	0.0518%
345. Chestnut-collared Longspur	0.0017%
346. Rufous-winged Sparrow	6.28%
347. Botteri's Sparrow	3.50%
348. Cassin's Sparrow	3.00%
349. Grasshopper Sparrow	0.4827%
350. Chipping Sparrow	3.89%
351. Black-chinned Sparrow	0.7900%
352. Brewer's Sparrow	0.0685%
353. Black-throated Sparrow	11.50%
354. Five-striped Sparrow	0.8752%
355. Lark Sparrow	4.98%
356. Lark Bunting	0.0985%
357. Dark-eyed Junco	5.14%
358. Yellow-eyed Junco	5.77%
359. White-crowned Sparrow	0.0234%
360. White-throated Sparrow	0.0000%
361. Sagebrush Sparrow	0.0134%
362. Vesper Sparrow	0.8084%
363. Savannah Sparrow	0.0902%
364. Song Sparrow	8.73%
365. Lincoln's Sparrow	0.1169% Go to top

366. Canyon Towhee	9.77%
367. Abert's Towhee	15.34%
368. Rufous-crowned Sparrow	6.56%
369. Green-tailed Towhee	0.6363%
370. Spotted Towhee	11.37%
371. Yellow-breasted Chat	9.51%
372. Yellow-headed Blackbird	3.05%
373. Bobolink	0.0017%
374. Western Meadowlark	1.01%
375. Eastern Meadowlark	2.79%
376. Hooded Oriole	8.89%
377. Streak-backed Oriole	0.0651%
378. Bullock's Oriole	6.30%
379. Baltimore Oriole	0.0033%
380. Scott's Oriole	3.90%
381. Red-winged Blackbird	10.62%
382. Bronzed Cowbird	<u>4.</u> 64%
383. Brown-headed Cowbird	19.64%
384. Brewer's Blackbird	1.42%
385. Great-tailed Grackle	18.16%
386. Ovenbird	0.0067%
387. Louisiana Waterthrush	0.0067%
388. Black-and-white Warbler	0.0184%
389. Prothonotary Warbler	0.0017%
390. Crescent-chested Warbler	0.0050%
391. Orange-crowned Warbler	0.2973%

392. Lucy's Warbler	11.30%
393. Nashville Warbler	0.0351%
394. Virginia's Warbler	2.24%
зэ5. MacGillivray's Warbler	0.2472%
396. Kentucky Warbler	0.0017%
397. Common Yellowthroat	9.77%
398. Hooded Warbler	0.0484%
399. American Redstart	0.0250%
400. Northern Parula	0.0267%
401. Tropical Parula	0.0234%
402. Blackburnian Warbler	0.0017%
403. Yellow Warbler	9.52%
404. Chestnut-sided Warbler	0.0033%
405. Blackpoll Warbler	0.0000%
406. Palm Warbler	0.0017%
407. Yellow-rumped Warbler	2.61%
408. Yellow-throated Warbler	0.0033%
409. Grace's Warbler	3.10%
410. Black-throated Gray Warbler	4.26%
411. Townsend's Warbler	0.0501%
412. Hermit Warbler	0.2489%
413. Fan-tailed Warbler	0.0017%
414. Rufous-capped Warbler	0.3290%
415. Wilson's Warbler	0.0434%
416. Red-faced Warbler	3.07%
417. Painted Redstart	6.59% Go to top

418. Slate-throated Redstart	0.0752%
419. Hepatic Tanager	5.79%
420. Summer Tanager	10.41%
421. Scarlet Tanager	0.0100%
422. Western Tanager	9.45%
423. Flame-colored Tanager	0.2739%
424. Northern Cardinal	15.96%
425. Pyrrhuloxia	6.1 4%
426. Yellow Grosbeak	0.0033%
427. Rose-breasted Grosbeak	0.0317%
428. Black-headed Grosbeak	16.88%
429. Blue Grosbeak	17.03%
430. Lazuli Bunting	2.22%
431. Indigo Bunting	1.10%
432. Varied Bunting	<u>4.</u> 75%
433. Painted Bunting	0.2455%