

Target Species

Based on 51,843 complete checklists

435 species observed in Arizona, US (subnational1/US-AZ) in **Jun** that you need for your **Arizona Life List**

1. Mourning Dove	45.66% frequency
2. House Finch	44.44%
3. White-winged Dove	40.35%
4. Turkey Vulture	30.57%
5. Lesser Goldfinch	27.38%
6. Common Raven	27.34%
7. Gila Woodpecker	25.75%
8. Verdin	24.20%
9. Gambel's Quail	22.54%
10. House Sparrow	21.41%
11. Brown-headed Cowbird	21.33%
12. Great-tailed Grackle	20.90%
13. Black-chinned Hummingbird	20.44%
14. Northern Mockingbird	20.30%
15. White-breasted Nuthatch	18.12%
16. Curve-billed Thrasher	17.97%
17. Ash-throated Flycatcher	17.95%
18. American Robin	17.27%
19. Lucy's Warbler	16.93%
20. Eurasian Collared-Dove	16.58%
21. Anna's Hummingbird	16.30%
22. Abert's Towhee	16.00%

[Go to top](#)

23. Acorn Woodpecker	<u>15.56%</u>
24. Bewick's Wren	<u>15.12%</u>
25. Black-headed Grosbeak	<u>14.79%</u>
26. Western Wood-Pewee	<u>14.75%</u>
27. Blue Grosbeak	<u>14.58%</u>
28. Northern Cardinal	<u>14.26%</u>
29. Northern Flicker	<u>13.90%</u>
30. Cactus Wren	<u>13.70%</u>
31. Broad-billed Hummingbird	<u>13.70%</u>
32. Ladder-backed Woodpecker	<u>13.66%</u>
33. Red-tailed Hawk	<u>13.27%</u>
34. Brown-crested Flycatcher	<u>13.21%</u>
35. Phainopepla	<u>13.16%</u>
36. Bell's Vireo	<u>12.99%</u>
37. Spotted Towhee	<u>12.94%</u>
38. Vermilion Flycatcher	<u>12.80%</u>
39. Violet-green Swallow	<u>12.74%</u>
40. Red-winged Blackbird	<u>12.51%</u>
41. Cassin's Kingbird	<u>12.40%</u>
42. Say's Phoebe	<u>12.23%</u>
43. House Wren	<u>12.18%</u>
44. Yellow Warbler	<u>11.97%</u>
45. Western Kingbird	<u>11.09%</u>
46. Broad-tailed Hummingbird	<u>10.96%</u>
47. Barn Swallow	<u>10.91%</u>
48. Plumbeous Vireo	<u>10.80%</u>
49. Summer Tanager	<u>10.57%</u>

[Go to top](#)

50. Rock Pigeon	10.26%
51. Mexican Jay	10.16%
52. Bridled Titmouse	10.15%
53. European Starling	9.91%
54. Western Tanager	9.78%
55. Black-throated Sparrow	9.76%
56. Great Blue Heron	9.75%
57. Steller's Jay	9.74%
58. Yellow-breasted Chat	9.74%
59. Killdeer	9.65%
60. Black Phoebe	9.63%
61. American Coot	9.59%
62. Song Sparrow	9.49%
63. Common Yellowthroat	9.13%
64. Northern Rough-winged Swallow	9.05%
65. Cordilleran Flycatcher	8.41%
66. Cliff Swallow	8.41%
67. Canyon Towhee	8.33%
68. Hermit Thrush	8.19%
69. Dusky-capped Flycatcher	8.19%
70. Cooper's Hawk	8.08%
71. Western Bluebird	8.06%
72. Mallard	7.95%
73. Pygmy Nuthatch	7.90%
74. Painted Redstart	7.89%
75. Hooded Oriole	7.85%

[Go to top](#)

76.	Black-tailed Gnatcatcher	7.75%
77.	Greater Roadrunner	7.63%
78.	Hairy Woodpecker	7.51%
79.	Canyon Wren	7.33%
80.	Mountain Chickadee	7.19%
81.	White-throated Swift	7.00%
82.	Bullock's Oriole	6.49%
83.	Hepatic Tanager	6.46%
84.	American Kestrel	6.44%
85.	Dark-eyed Junco	6.40%
86.	Yellow-eyed Junco	6.26%
87.	Grace's Warbler	6.17%
88.	Bushtit	5.95%
89.	Rivoli's Hummingbird	5.70%
90.	Black-throated Gray Warbler	5.51%
91.	Lesser Nighthawk	5.50%
92.	Chipping Sparrow	5.31%
93.	Bronzed Cowbird	5.25%
94.	Rufous-crowned Sparrow	5.10%
95.	Pyrrhuloxia	5.10%
96.	Inca Dove	5.04%
97.	Hutton's Vireo	4.84%
98.	Red-faced Warbler	4.77%
99.	Blue-gray Gnatcatcher	4.67%
100.	Scott's Oriole	4.66%
101.	Neotropic Cormorant	4.66%

[Go to top](#)

102.	Gray Hawk	4.59%
103.	Warbling Vireo	4.55%
104.	Varied Bunting	4.50%
105.	Woodhouse's Scrub-Jay	4.49%
106.	Yellow-rumped Warbler	4.42%
107.	Brown Creeper	4.36%
108.	Arizona Woodpecker	4.27%
109.	Costa's Hummingbird	4.24%
110.	Black-crowned Night-Heron	4.07%
111.	Green Heron	4.07%
112.	Rufous-winged Sparrow	3.95%
113.	Ruddy Duck	3.87%
114.	American Crow	3.64%
115.	Rock Wren	3.56%
116.	Black-necked Stilt	3.56%
117.	Purple Martin	3.55%
118.	Sulphur-bellied Flycatcher	3.51%
119.	Pied-billed Grebe	3.38%
120.	Wild Turkey	3.31%
121.	Great Egret	3.27%
122.	Common Ground Dove	3.19%
123.	Gilded Flicker	3.06%
124.	Elegant Trogon	3.02%
125.	Virginia's Warbler	3.01%
126.	Pine Siskin	2.96%
127.	Double-crested Cormorant	2.89%
128.	Band-tailed Pigeon	2.87%

[Go to top](#)

129.	Canada Goose	2.81%
130.	Swainson's Hawk	2.70%
131.	Cinnamon Teal	2.67%
132.	Zone-tailed Hawk	2.64%
133.	Lark Sparrow	2.63%
134.	Snowy Egret	2.61%
135.	Loggerhead Shrike	2.55%
136.	Brewer's Blackbird	2.49%
137.	Horned Lark	2.41%
138.	Blue-throated Mountain-gem	2.38%
139.	Juniper Titmouse	2.33%
140.	Red-breasted Nuthatch	2.31%
141.	Yellow-billed Cuckoo	2.30%
142.	Greater Pewee	2.27%
143.	Tropical Kingbird	2.22%
144.	Yellow-headed Blackbird	2.19%
145.	Great Horned Owl	2.17%
146.	Northern Beardless-Tyrannulet	2.08%
147.	White-faced Ibis	2.04%
148.	Osprey	1.98%
149.	Common Poorwill	1.95%
150.	Crissal Thrasher	1.93%
151.	Olive Warbler	1.89%
152.	Eastern Meadowlark	1.88%
153.	Common Gallinule	1.88%
154.	Western Meadowlark	1.87%

[Go to top](#)

155.	American Avocet	1.85%
156.	Botteri's Sparrow	1.81%
157.	Rosy-faced Lovebird	1.71%
158.	Mexican Whip-poor-will	1.61%
159.	Scaled Quail	1.51%
160.	Montezuma Quail	1.49%
161.	Peregrine Falcon	1.48%
162.	Chihuahuan Raven	1.47%
163.	Mexican Duck	1.44%
164.	Common Black Hawk	1.35%
165.	Elf Owl	1.34%
166.	Ruby-crowned Kinglet	1.31%
167.	Red Crossbill	1.31%
168.	Black Vulture	1.26%
169.	Whiskered Screech-Owl	1.22%
170.	American Wigeon	1.18%
171.	Mountain Bluebird	1.16%
172.	Black-chinned Sparrow	1.15%
173.	Buff-breasted Flycatcher	1.08%
174.	Indigo Bunting	1.08%
175.	Northern Shoveler	1.07%
176.	Western Screech-Owl	1.07%
177.	Violet-crowned Hummingbird	1.05%
178.	Spotted Sandpiper	1.02%
179.	Redhead	1.00%
180.	Common Nighthawk	0.9972%

[Go to top](#)

181.	Eared Grebe	0.9857%
182.	Gadwall	0.9664%
183.	Clark's Nutcracker	0.9471%
184.	Thick-billed Kingbird	0.9355%
185.	Williamson's Sapsucker	0.9259%
186.	Harris's Hawk	0.9124%
187.	Burrowing Owl	0.8931%
188.	Bald Eagle	0.8680%
189.	Willow Flycatcher	0.8641%
190.	Green-tailed Towhee	0.8526%
191.	Pinyon Jay	0.8371%
192.	Northern Pygmy-Owl	0.8314%
193.	Vesper Sparrow	0.8294%
194.	Tree Swallow	0.8236%
195.	Black-bellied Whistling-Duck	0.8217%
196.	Mexican Chickadee	0.8140%
197.	Gray Flycatcher	0.7831%
198.	Gray Vireo	0.7831%
199.	Wilson's Phalarope	0.7600%
200.	Least Bittern	0.7484%
201.	Western Grebe	0.7349%
202.	Lucifer Hummingbird	0.7253%
203.	Blue-winged Teal	0.7002%
204.	Lazuli Bunting	0.6462%
205.	Wood Duck	0.6327%
206.	California Condor	0.5980%
207.	Ring-necked Duck	0.5902%

[Go to top](#)

208.	Spotted Owl	0.5787%
209.	Olive-sided Flycatcher	0.5690%
210.	Downy Woodpecker	0.5652%
211.	Virginia Rail	0.5632%
212.	Red-naped Sapsucker	0.5440%
213.	Long-billed Curlew	0.5420%
214.	Cattle Egret	0.5266%
215.	Orange-crowned Warbler	0.5247%
216.	Townsend's Solitaire	0.5189%
217.	Rose-throated Becard	0.5092%
218.	Five-striped Sparrow	0.4977%
219.	Lewis's Woodpecker	0.4880%
220.	Berylline Hummingbird	0.4841%
221.	Green-winged Teal	0.4822%
222.	MacGillivray's Warbler	0.4764%
223.	Barn Owl	0.4687%
224.	Cassin's Finch	0.4687%
225.	Golden Eagle	0.4591%
226.	Clark's Grebe	0.4533%
227.	Bendire's Thrasher	0.4475%
228.	White-eared Hummingbird	0.4456%
229.	Prairie Falcon	0.4359%
230.	Pacific-slope Flycatcher	0.4321%
231.	Wilson's Warbler	0.4147%
232.	Buff-collared Nightjar	0.4051%
233.	Sora	0.3896%

[Go to top](#)

234.	Northern Goshawk	0.3819%
235.	Eastern Bluebird	0.3819%
236.	Golden-crowned Kinglet	0.3761%
237.	Flammulated Owl	0.3568%
238.	California Gull	0.3511%
239.	Dusky Flycatcher	0.3491%
240.	Black-capped Gnatcatcher	0.3491%
241.	Greater Yellowlegs	0.3472%
242.	Ring-billed Gull	0.3086%
243.	Marsh Wren	0.3086%
244.	Flame-colored Tanager	0.2893%
245.	Lesser Scaup	0.2797%
246.	Rufous Hummingbird	0.2643%
247.	Mississippi Kite	0.2565%
248.	Northern Pintail	0.2488%
249.	American White Pelican	0.2488%
250.	Common Merganser	0.2450%
251.	Cassin's Sparrow	0.2411%
252.	American Three-toed Woodpecker	0.2373%
253.	Ridgway's Rail	0.2334%
254.	Swainson's Thrush	0.2334%
255.	Tufted Flycatcher	0.2295%
256.	Rufous-capped Warbler	0.2199%
257.	Caspian Tern	0.2180%
258.	Gray Catbird	0.2160%
259.	Pine Flycatcher	0.2045%

[Go to top](#)

260.	Slate-throated Redstart	0.1987%
261.	Grasshopper Sparrow	0.1910%
262.	Belted Kingfisher	0.1832%
263.	Sharp-shinned Hawk	0.1775%
264.	American Dipper	0.1755%
265.	Hooded Warbler	0.1755%
266.	Eared Quetzal	0.1659%
267.	Common Crane	0.1601%
268.	Franklin's Gull	0.1389%
269.	Lincoln's Sparrow	0.1389%
270.	Yellow-throated Vireo	0.1370%
271.	Cedar Waxwing	0.1370%
272.	Evening Grosbeak	0.1350%
273.	Streak-backed Oriole	0.1350%
274.	Brown Pelican	0.1331%
275.	White-crowned Sparrow	0.1215%
276.	Marbled Godwit	0.1138%
277.	Green Kingfisher	0.1080%
278.	Willet	0.1042%
279.	Canada Jay	0.1022%
280.	Sagebrush Sparrow	0.1003%
281.	Rose-breasted Grosbeak	0.1003%
282.	Forster's Tern	0.0984%
283.	Snow Goose	0.0945%
284.	Tropical Parula	0.0945%
285.	Least Tern	0.0907%
286.	Scissor-tailed Flycatcher	0.0887%

[Go to top](#)

287. Crested Caracara	0.0849%
288. Dusky Grouse	0.0791%
289. Crescent-chested Warbler	0.0791%
290. Least Grebe	0.0772%
291. Least Sandpiper	0.0752%
292. Elegant Tern	0.0752%
293. Red-shouldered Hawk	0.0752%
294. American Goldfinch	0.0752%
295. Black Rail	0.0733%
296. Sage Thrasher	0.0733%
297. Northern Parula	0.0733%
298. Savannah Sparrow	0.0714%
299. Brewer's Sparrow	0.0694%
300. Plain-capped Starthroat	0.0675%
301. Townsend's Warbler	0.0656%
302. White-tailed Kite	0.0636%
303. Northern Saw-whet Owl	0.0636%
304. Northern Harrier	0.0617%
305. Canvasback	0.0598%
306. LeConte's Thrasher	0.0579%
307. Cassin's Vireo	0.0559%
308. American Redstart	0.0559%
309. Bufflehead	0.0540%
310. Little Blue Heron	0.0540%
311. Lesser Yellowlegs	0.0521%
312. Long-eared Owl	0.0463%

[Go to top](#)

313. Red-headed Woodpecker	0.0424%
314. Mute Swan	0.0405%
315. Snowy Plover	0.0405%
316. Western Sandpiper	0.0405%
317. Black Tern	0.0386%
318. Short-tailed Hawk	0.0386%
319. American Pipit	0.0386%
320. White-rumped Sandpiper	0.0366%
321. Bonaparte's Gull	0.0328%
322. Nutting's Flycatcher	0.0328%
323. Yellow Grosbeak	0.0309%
324. Long-billed Dowitcher	0.0289%
325. Lawrence's Goldfinch	0.0289%
326. Ovenbird	0.0289%
327. Painted Bunting	0.0289%
328. Common Goldeneye	0.0270%
329. Ferruginous Hawk	0.0270%
330. Ferruginous Pygmy-Owl	0.0270%
331. Groove-billed Ani	0.0251%
332. Baird's Sandpiper	0.0251%
333. Chestnut-sided Warbler	0.0251%
334. Sandhill Crane	0.0232%
335. Common Loon	0.0232%
336. Glossy Ibis	0.0232%
337. Orchard Oriole	0.0232%
338. California Quail	0.0212%

[Go to top](#)

339.	Wilson's Snipe	0.0212%
340.	Heermann's Gull	0.0212%
341.	Bank Swallow	0.0212%
342.	Black-and-white Warbler	0.0212%
343.	Red-breasted Merganser	0.0193%
344.	Laughing Gull	0.0193%
345.	Aztec Thrush	0.0193%
346.	Northern Waterthrush	0.0193%
347.	Monk Parakeet	0.0174%
348.	Red-eyed Vireo	0.0174%
349.	Scarlet Tanager	0.0174%
350.	Kentucky Warbler	0.0135%
351.	Hammond's Flycatcher	0.0116%
352.	Pacific Wren	0.0116%
353.	Cackling Goose	0.0096%
354.	Greater Scaup	0.0096%
355.	Hooded Merganser	0.0096%
356.	Ring-necked Pheasant	0.0096%
357.	Black Turnstone	0.0096%
358.	Red Phalarope	0.0096%
359.	Black-billed Magpie	0.0096%
360.	Brown Thrasher	0.0096%
361.	Baltimore Oriole	0.0096%
362.	Nashville Warbler	0.0096%
363.	Yellow-throated Warbler	0.0096%
364.	Greater White-fronted Goose	0.0077%
365.	Ruby-throated Hummingbird	0.0077%

[Go to top](#)

366.	Yellow-green Vireo	0.0077%
367.	Hermit Warbler	0.0077%
368.	Chukar	0.0058%
369.	Pacific Golden-Plover	0.0058%
370.	Northern Jacana	0.0058%
371.	Red-necked Phalarope	0.0058%
372.	Eastern Wood-Pewee	0.0058%
373.	Eastern Kingbird	0.0058%
374.	Sinaloa Wren	0.0058%
375.	Lark Bunting	0.0058%
376.	Fan-tailed Warbler	0.0058%
377.	Canada Warbler	0.0058%
378.	Calliope Hummingbird	0.0039%
379.	Whimbrel	0.0039%
380.	Semipalmated Sandpiper	0.0039%
381.	Solitary Sandpiper	0.0039%
382.	Yellow-crowned Night-Heron	0.0039%
383.	Nanday Parakeet	0.0039%
384.	White-eyed Vireo	0.0039%
385.	Black-capped Chickadee	0.0039%
386.	Wood Thrush	0.0039%
387.	Pine Grosbeak	0.0039%
388.	Worm-eating Warbler	0.0039%
389.	Mourning Warbler	0.0039%
390.	Surf Scoter	0.0019%
391.	Allen's Hummingbird	0.0019%

[Go to top](#)

392.	Black-bellied Plover	0.0019%
393.	American Golden-Plover	0.0019%
394.	Semipalmated Plover	0.0019%
395.	Stilt Sandpiper	0.0019%
396.	Herring Gull	0.0019%
397.	Yellow-billed Loon	0.0019%
398.	Reddish Egret	0.0019%
399.	White Ibis	0.0019%
400.	Yellow-collared Lovebird	0.0019%
401.	Thick-billed Parrot	0.0019%
402.	Eastern Phoebe	0.0019%
403.	Black-throated Magpie-Jay	0.0019%
404.	Cave Swallow	0.0019%
405.	Carolina Wren	0.0019%
406.	Rufous-backed Robin	0.0019%
407.	Clay-colored Sparrow	0.0019%
408.	Bobolink	0.0019%
409.	Golden-winged Warbler	0.0019%
410.	Prothonotary Warbler	0.0019%
411.	Magnolia Warbler	0.0019%
412.	Black-throated Green Warbler	0.0019%
413.	Fulvous Whistling-Duck	0.0000%
414.	Ross's Goose	0.0000%
415.	White-winged Scoter	0.0000%
416.	Ruddy Ground Dove	0.0000%
417.	Purple Gallinule	0.0000%

[Go to top](#)

418.	Sabine's Gull	0.0000%
419.	Common Tern	0.0000%
420.	Arctic Tern	0.0000%
421.	Red-throated Loon	0.0000%
422.	Sooty Shearwater	0.0000%
423.	Magnificent Frigatebird	0.0000%
424.	American Bittern	0.0000%
425.	Tricolored Heron	0.0000%
426.	Roseate Spoonbill	0.0000%
427.	Gray-collared Becard	0.0000%
428.	Yellow-bellied Flycatcher	0.0000%
429.	Varied Thrush	0.0000%
430.	Purple Finch	0.0000%
431.	Common Grackle	0.0000%
432.	Blue-winged Warbler	0.0000%
433.	Swainson's Warbler	0.0000%
434.	Black-throated Blue Warbler	0.0000%
435.	Dickcissel	0.0000%