

Target Species

Based on 94,144 complete checklists

466 species observed in Arizona, US (subnational1/US-AZ) in **May** that you need for your **Arizona Life List**

1. Mourning Dove	46.96% frequency
2. House Finch	44.84%
3. White-winged Dove	43.94%
4. Lesser Goldfinch	31.30%
5. Turkey Vulture	30.52%
6. Gila Woodpecker	27.89%
7. Common Raven	27.52%
8. Gambel's Quail	26.36%
9. Black-headed Grosbeak	24.92%
10. Verdin	24.53%
11. Brown-headed Cowbird	22.91%
12. House Sparrow	21.77%
13. Great-tailed Grackle	21.72%
14. Western Tanager	21.13%
15. Black-chinned Hummingbird	20.99%
16. Curve-billed Thrasher	19.36%
17. Lucy's Warbler	19.04%
18. Ash-throated Flycatcher	18.98%
19. Northern Mockingbird	18.31%
20. Yellow Warbler	18.29%
21. Anna's Hummingbird	17.32%
22. Eurasian Collared-Dove	16.72%

23. Abert's Towhee	<u>16.64%</u>
24. Bewick's Wren	<u>16.33%</u>
25. Western Wood-Pewee	<u>16.29%</u>
26. Northern Cardinal	<u>16.16%</u>
27. Wilson's Warbler	<u>16.03%</u>
28. Phainopepla	<u>15.93%</u>
29. White-breasted Nuthatch	<u>15.89%</u>
30. Acorn Woodpecker	<u>15.80%</u>
31. Broad-billed Hummingbird	<u>14.79%</u>
32. Cactus Wren	<u>14.56%</u>
33. Ladder-backed Woodpecker	<u>14.52%</u>
34. Red-winged Blackbird	<u>14.42%</u>
35. Red-tailed Hawk	<u>14.38%</u>
36. Bell's Vireo	<u>14.17%</u>
37. Western Kingbird	<u>14.06%</u>
38. Vermilion Flycatcher	<u>14.00%</u>
39. American Robin	<u>13.79%</u>
40. Brown-crested Flycatcher	<u>13.56%</u>
41. European Starling	<u>13.36%</u>
42. Cassin's Kingbird	<u>12.93%</u>
43. Summer Tanager	<u>12.70%</u>
44. Say's Phoebe	<u>12.67%</u>
45. Northern Rough-winged Swallow	<u>12.29%</u>
46. American Coot	<u>11.81%</u>
47. Mexican Jay	<u>11.71%</u>
48. Yellow-rumped Warbler	<u>11.66%</u>
49. Barn Swallow	<u>11.35%</u>

[Go to top](#)

50. Plumbeous Vireo	11.25%
51. Killdeer	11.19%
52. Spotted Towhee	11.17%
53. Bridled Titmouse	11.12%
54. Bullock's Oriole	11.07%
55. Broad-tailed Hummingbird	11.04%
56. House Wren	10.83%
57. Violet-green Swallow	10.82%
58. Northern Flicker	10.81%
59. Song Sparrow	10.62%
60. Common Yellowthroat	10.26%
61. Yellow-breasted Chat	9.77%
62. Black-throated Sparrow	9.71%
63. Great Blue Heron	9.42%
64. Canyon Towhee	9.20%
65. Warbling Vireo	9.14%
66. Black Phoebe	9.01%
67. Rock Pigeon	8.98%
68. Mallard	8.95%
69. Dusky-capped Flycatcher	8.76%
70. Hooded Oriole	8.75%
71. Cliff Swallow	8.46%
72. White-crowned Sparrow	8.17%
73. Painted Redstart	8.05%
74. Cooper's Hawk	7.69%
75. Pine Siskin	7.65%

[Go to top](#)

76. Canyon Wren	7.56%
77. Black-throated Gray Warbler	7.56%
78. Blue Grosbeak	7.47%
79. Hepatic Tanager	7.37%
80. Chipping Sparrow	7.33%
81. Black-tailed Gnatcatcher	7.32%
82. Greater Roadrunner	7.27%
83. Lark Sparrow	7.24%
84. Steller's Jay	7.03%
85. White-throated Swift	6.82%
86. Spotted Sandpiper	6.72%
87. Hermit Thrush	6.55%
88. Scott's Oriole	6.43%
89. Lazuli Bunting	6.03%
90. Pyrrhuloxia	6.00%
91. Bushtit	5.81%
92. Rivoli's Hummingbird	5.80%
93. Grace's Warbler	5.80%
94. Yellow-eyed Junco	5.79%
95. Townsend's Warbler	5.67%
96. Ruddy Duck	5.65%
97. Gray Hawk	5.58%
98. Western Bluebird	5.44%
99. Inca Dove	5.42%
100. American Kestrel	5.37%
101. Hairy Woodpecker	5.36%

[Go to top](#)

102.	Neotropic Cormorant	5.27%
103.	Hutton's Vireo	5.08%
104.	Pygmy Nuthatch	5.02%
105.	Rufous-crowned Sparrow	4.89%
106.	Costa's Hummingbird	4.84%
107.	Green-tailed Towhee	4.75%
108.	Black-necked Stilt	4.67%
109.	Wild Turkey	4.65%
110.	Blue-gray Gnatcatcher	4.64%
111.	Red-faced Warbler	4.64%
112.	Bronzed Cowbird	4.56%
113.	Mountain Chickadee	4.52%
114.	Arizona Woodpecker	4.43%
115.	Lesser Nighthawk	4.30%
116.	Cordilleran Flycatcher	4.30%
117.	Green Heron	4.25%
118.	Woodhouse's Scrub-Jay	4.23%
119.	Pied-billed Grebe	4.03%
120.	Dark-eyed Junco	4.03%
121.	Cinnamon Teal	3.96%
122.	Rufous-winged Sparrow	3.82%
123.	Great Egret	3.74%
124.	White-faced Ibis	3.64%
125.	Black-crowned Night-Heron	3.62%
126.	Canada Goose	3.51%
127.	Rock Wren	3.49%
128.	Elegant Trogon	3.39%

[Go to top](#)

129.	Virginia's Warbler	3.38%
130.	Gilded Flicker	3.30%
131.	Brown Creeper	3.29%
132.	Swainson's Hawk	3.26%
133.	Orange-crowned Warbler	3.26%
134.	Snowy Egret	3.23%
135.	Great Horned Owl	3.03%
136.	Double-crested Cormorant	3.02%
137.	Zone-tailed Hawk	2.96%
138.	American Avocet	2.91%
139.	Common Ground Dove	2.75%
140.	Northern Beardless-Tyrannulet	2.64%
141.	American Crow	2.60%
142.	Greater Pewee	2.54%
143.	Horned Lark	2.52%
144.	Olive-sided Flycatcher	2.52%
145.	MacGillivray's Warbler	2.48%
146.	Yellow-headed Blackbird	2.48%
147.	Eared Grebe	2.46%
148.	Blue-throated Mountain-gem	2.43%
149.	Loggerhead Shrike	2.42%
150.	Northern Shoveler	2.40%
151.	Ruby-crowned Kinglet	2.37%
152.	Wilson's Phalarope	2.31%
153.	Pacific-slope Flycatcher	2.20%
154.	Cedar Waxwing	2.10%

[Go to top](#)

155.	Gray Flycatcher	2.09%
156.	Elf Owl	2.04%
157.	Mexican Duck	2.03%
158.	American Wigeon	2.02%
159.	Dusky Flycatcher	2.01%
160.	Hammond's Flycatcher	1.98%
161.	Common Poorwill	1.93%
162.	Band-tailed Pigeon	1.92%
163.	Juniper Titmouse	1.91%
164.	Common Gallinule	1.90%
165.	Black Vulture	1.90%
166.	Crissal Thrasher	1.89%
167.	Sulphur-bellied Flycatcher	1.84%
168.	Swainson's Thrush	1.83%
169.	Mexican Whip-poor-will	1.83%
170.	Olive Warbler	1.81%
171.	Purple Martin	1.81%
172.	Brewer's Sparrow	1.80%
173.	Osprey	1.79%
174.	Eastern Meadowlark	1.79%
175.	Brewer's Blackbird	1.79%
176.	Gadwall	1.78%
177.	Chihuahuan Raven	1.69%
178.	Red-breasted Nuthatch	1.67%
179.	Scaled Quail	1.64%
180.	Tropical Kingbird	1.60%

[Go to top](#)

181.	Common Black Hawk	1.58%
182.	Rosy-faced Lovebird	1.56%
183.	Tree Swallow	1.54%
184.	Western Meadowlark	1.48%
185.	Cassin's Vireo	1.45%
186.	Botteri's Sparrow	1.41%
187.	Whiskered Screech-Owl	1.41%
188.	Long-billed Dowitcher	1.41%
189.	Blue-winged Teal	1.41%
190.	Varied Bunting	1.40%
191.	Harris's Hawk	1.38%
192.	Lincoln's Sparrow	1.35%
193.	Buff-breasted Flycatcher	1.32%
194.	Ring-necked Duck	1.29%
195.	Western Screech-Owl	1.28%
196.	Hermit Warbler	1.28%
197.	Redhead	1.26%
198.	Thick-billed Kingbird	1.26%
199.	Bank Swallow	1.25%
200.	Montezuma Quail	1.24%
201.	Green-winged Teal	1.22%
202.	Black-chinned Sparrow	1.19%
203.	Least Sandpiper	1.16%
204.	Western Grebe	1.16%
205.	Peregrine Falcon	1.14%
206.	Bald Eagle	1.11%
207.	Violet-crowned Hummingbird	1.07%

[Go to top](#)

208.	Willow Flycatcher	0.9985%
209.	Cassin's Finch	0.9793%
210.	Indigo Bunting	0.9687%
211.	Ring-billed Gull	0.9316%
212.	Northern Pygmy-Owl	0.8583%
213.	Sora	0.8232%
214.	Mexican Chickadee	0.8105%
215.	Cattle Egret	0.8030%
216.	Red Crossbill	0.7807%
217.	Pinyon Jay	0.7701%
218.	Western Sandpiper	0.7616%
219.	Burrowing Owl	0.7584%
220.	Lesser Scaup	0.7000%
221.	Red-necked Phalarope	0.6862%
222.	Black-bellied Whistling-Duck	0.6639%
223.	Mountain Bluebird	0.6618%
224.	Bendire's Thrasher	0.6511%
225.	Vesper Sparrow	0.6479%
226.	Gray Vireo	0.6384%
227.	Least Bittern	0.6363%
228.	Marsh Wren	0.6352%
229.	Virginia Rail	0.6320%
230.	Golden Eagle	0.6044%
231.	Belted Kingfisher	0.6044%
232.	Willet	0.5810%
233.	Lucifer Hummingbird	0.5608%

[Go to top](#)

234.	Spotted Owl	0.5439%
235.	Wood Duck	0.5322%
236.	Evening Grosbeak	0.5067%
237.	Five-striped Sparrow	0.5067%
238.	Greater Yellowlegs	0.4950%
239.	Black-capped Gnatcatcher	0.4642%
240.	Flammulated Owl	0.4631%
241.	Rose-breasted Grosbeak	0.4493%
242.	Prairie Falcon	0.4440%
243.	Flame-colored Tanager	0.4206%
244.	Barn Owl	0.4153%
245.	American Goldfinch	0.4079%
246.	Northern Pintail	0.3941%
247.	Townsend's Solitaire	0.3920%
248.	Red-naped Sapsucker	0.3803%
249.	Rose-throated Becard	0.3718%
250.	Clark's Grebe	0.3697%
251.	Sharp-shinned Hawk	0.3686%
252.	Lewis's Woodpecker	0.3686%
253.	Eastern Bluebird	0.3580%
254.	Franklin's Gull	0.3548%
255.	Northern Waterthrush	0.3484%
256.	Forster's Tern	0.3473%
257.	Bufflehead	0.3420%
258.	Buff-collared Nightjar	0.3357%
259.	White-eared Hummingbird	0.3357%

[Go to top](#)

260.	American White Pelican	0.3304%
261.	California Condor	0.3272%
262.	Marbled Godwit	0.3176%
263.	Common Merganser	0.3165%
264.	Vaux's Swift	0.3133%
265.	Savannah Sparrow	0.3133%
266.	Northern Harrier	0.3027%
267.	Rufous Hummingbird	0.2995%
268.	Downy Woodpecker	0.2995%
269.	Rufous-capped Warbler	0.2985%
270.	Williamson's Sapsucker	0.2932%
271.	Clark's Nutcracker	0.2910%
272.	Lark Bunting	0.2847%
273.	Long-billed Curlew	0.2592%
274.	Northern Goshawk	0.2592%
275.	Berylline Hummingbird	0.2571%
276.	Calliope Hummingbird	0.2539%
277.	Tufted Flycatcher	0.2517%
278.	Nashville Warbler	0.2422%
279.	Semipalmated Plover	0.2379%
280.	California Gull	0.2358%
281.	Ridgway's Rail	0.2241%
282.	Crescent-chested Warbler	0.2241%
283.	Solitary Sandpiper	0.2093%
284.	Canvasback	0.1986%
285.	Grasshopper Sparrow	0.1869%
286.	Least Tern	0.1816%

[Go to top](#)

287.	Cassin's Sparrow	0.1806%
288.	Common Crane	0.1785%
289.	Caspian Tern	0.1785%
290.	Slate-throated Redstart	0.1668%
291.	Lesser Yellowlegs	0.1625%
292.	American Pipit	0.1540%
293.	Mississippi Kite	0.1498%
294.	White-throated Sparrow	0.1423%
295.	Bonaparte's Gull	0.1391%
296.	Gray Catbird	0.1349%
297.	Golden-crowned Kinglet	0.1338%
298.	Crested Caracara	0.1221%
299.	White-tailed Kite	0.1179%
300.	Baird's Sandpiper	0.1168%
301.	Black Tern	0.1105%
302.	Hooded Warbler	0.1105%
303.	Snow Goose	0.1094%
304.	Wilson's Snipe	0.1094%
305.	White-rumped Sandpiper	0.1073%
306.	LeConte's Thrasher	0.1062%
307.	Clay-colored Thrush	0.1052%
308.	Snowy Plover	0.0988%
309.	American Redstart	0.0945%
310.	Northern Parula	0.0860%
311.	Common Nighthawk	0.0839%
312.	Green Kingfisher	0.0829%

[Go to top](#)

313.	Red-shouldered Hawk	0.0807%
314.	Arctic Tern	0.0797%
315.	Black-and-white Warbler	0.0786%
316.	Black-bellied Plover	0.0765%
317.	American Three-toed Woodpecker	0.0743%
318.	Common Loon	0.0733%
319.	American Dipper	0.0733%
320.	Lawrence's Goldfinch	0.0690%
321.	Least Grebe	0.0680%
322.	Stilt Sandpiper	0.0648%
323.	Sinaloa Wren	0.0627%
324.	Common Goldeneye	0.0616%
325.	Brown Pelican	0.0616%
326.	Red-breasted Merganser	0.0606%
327.	Northern Saw-whet Owl	0.0606%
328.	Plain-capped Starthroat	0.0595%
329.	Black Rail	0.0563%
330.	American Golden-Plover	0.0552%
331.	Yellow-throated Vireo	0.0531%
332.	Ovenbird	0.0531%
333.	Greater Scaup	0.0478%
334.	Sage Thrasher	0.0457%
335.	Little Blue Heron	0.0435%
336.	Golden-crowned Sparrow	0.0435%
337.	Blackpoll Warbler	0.0425%
338.	Harris's Sparrow	0.0414%

[Go to top](#)

339.	Sagebrush Sparrow	0.0414%
340.	Hudsonian Godwit	0.0404%
341.	Short-tailed Hawk	0.0404%
342.	Rufous-backed Robin	0.0404%
343.	Fan-tailed Warbler	0.0382%
344.	Painted Bunting	0.0382%
345.	Glossy Ibis	0.0372%
346.	Sharp-tailed Sandpiper	0.0361%
347.	Sanderling	0.0361%
348.	Long-eared Owl	0.0361%
349.	Red-headed Woodpecker	0.0361%
350.	Semipalmated Sandpiper	0.0351%
351.	Prothonotary Warbler	0.0329%
352.	Clay-colored Sparrow	0.0308%
353.	Dusky Grouse	0.0276%
354.	Baltimore Oriole	0.0276%
355.	Yellow-billed Cuckoo	0.0266%
356.	Whimbrel	0.0266%
357.	Broad-winged Hawk	0.0255%
358.	Scissor-tailed Flycatcher	0.0244%
359.	Canada Jay	0.0244%
360.	Ruddy Ground Dove	0.0234%
361.	American Bittern	0.0223%
362.	Ferruginous Pygmy-Owl	0.0223%
363.	Greater White-fronted Goose	0.0212%
364.	Short-billed Dowitcher	0.0202%
365.	Ferruginous Hawk	0.0202%

[Go to top](#)

366.	Swamp Sparrow	0.0202%
367.	Mute Swan	0.0181%
368.	Elegant Tern	0.0181%
369.	Red-eyed Vireo	0.0181%
370.	Brown Thrasher	0.0159%
371.	Orchard Oriole	0.0159%
372.	Heermann's Gull	0.0149%
373.	Bobolink	0.0149%
374.	Tennessee Warbler	0.0149%
375.	Eastern Kingbird	0.0138%
376.	Streak-backed Oriole	0.0138%
377.	Hooded Merganser	0.0127%
378.	Dunlin	0.0127%
379.	Herring Gull	0.0127%
380.	Magnolia Warbler	0.0127%
381.	Chestnut-sided Warbler	0.0127%
382.	Prairie Warbler	0.0127%
383.	Ross's Goose	0.0117%
384.	Tricolored Heron	0.0117%
385.	Merlin	0.0117%
386.	Common Grackle	0.0117%
387.	Ring-necked Pheasant	0.0106%
388.	Monk Parakeet	0.0106%
389.	Worm-eating Warbler	0.0106%
390.	Common Tern	0.0096%
391.	Pine Flycatcher	0.0096%

[Go to top](#)

392.	Nutting's Flycatcher	0.0096%
393.	Kentucky Warbler	0.0085%
394.	Yellow Grosbeak	0.0085%
395.	Sandhill Crane	0.0074%
396.	Red Phalarope	0.0074%
397.	Black-billed Magpie	0.0074%
398.	Black Turnstone	0.0053%
399.	Nanday Parakeet	0.0053%
400.	Pacific Wren	0.0053%
401.	Palm Warbler	0.0053%
402.	Long-tailed Duck	0.0043%
403.	California Quail	0.0043%
404.	Chukar	0.0043%
405.	Laughing Gull	0.0043%
406.	Black Skimmer	0.0043%
407.	Yellow-billed Loon	0.0043%
408.	Yellow-throated Warbler	0.0043%
409.	Egyptian Goose	0.0032%
410.	Surf Scoter	0.0032%
411.	Horned Grebe	0.0032%
412.	Pacific Loon	0.0032%
413.	Yellow-collared Lovebird	0.0032%
414.	Thick-billed Parrot	0.0032%
415.	Least Flycatcher	0.0032%
416.	White-eyed Vireo	0.0032%
417.	Cave Swallow	0.0032%

[Go to top](#)

418.	Lapland Longspur	0.0032%
419.	Little Bunting	0.0032%
420.	Blue-winged Warbler	0.0032%
421.	Bay-breasted Warbler	0.0032%
422.	Canada Warbler	0.0032%
423.	Scarlet Tanager	0.0032%
424.	Fulvous Whistling-Duck	0.0021%
425.	Black Swift	0.0021%
426.	Chimney Swift	0.0021%
427.	Roseate Spoonbill	0.0021%
428.	Eared Quetzal	0.0021%
429.	Yellow-bellied Sapsucker	0.0021%
430.	Eastern Phoebe	0.0021%
431.	Black-throated Magpie-Jay	0.0021%
432.	Blue Mockingbird	0.0021%
433.	Wood Thrush	0.0021%
434.	White-throated Thrush	0.0021%
435.	Dickcissel	0.0021%
436.	Cackling Goose	0.0011%
437.	Eurasian Wigeon	0.0011%
438.	White-winged Scoter	0.0011%
439.	Black Scoter	0.0011%
440.	Mountain Plover	0.0011%
441.	Ruff	0.0011%
442.	Pectoral Sandpiper	0.0011%
443.	Yellow-crowned Night-Heron	0.0011%
444.	White Ibis	0.0011%

[Go to top](#)

445.	Short-eared Owl	0.0011%
446.	Purple Finch	0.0011%
447.	Chestnut-collared Longspur	0.0011%
448.	Baird's Sparrow	0.0011%
449.	Louisiana Waterthrush	0.0011%
450.	Golden-winged Warbler	0.0011%
451.	Tropical Parula	0.0011%
452.	Northern Bobwhite	0.0000%
453.	Red-necked Grebe	0.0000%
454.	Allen's Hummingbird	0.0000%
455.	Ruddy Turnstone	0.0000%
456.	Sabine's Gull	0.0000%
457.	Aplomado Falcon	0.0000%
458.	California Scrub-Jay	0.0000%
459.	Carolina Wren	0.0000%
460.	Varied Thrush	0.0000%
461.	Aztec Thrush	0.0000%
462.	Red-throated Pipit	0.0000%
463.	Mourning Warbler	0.0000%
464.	Cape May Warbler	0.0000%
465.	Black-throated Blue Warbler	0.0000%
466.	Black-throated Green Warbler	0.0000%