

## Target Species

Based on 809,880 complete checklists

**560** species observed in Arizona, US (subnational1/US-AZ) that you need for your **Arizona Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.5027%</b> frequency
2. <b>Fulvous Whistling-Duck</b>	<b>0.0143%</b>
3. <b>Snow Goose</b>	<b>0.8933%</b>
4. <b>Ross's Goose</b>	<b>0.2197%</b>
5. <b>Greater White-fronted Goose</b>	<b>0.3351%</b>
6. <b>Brant</b>	<b>0.0032%</b>
7. <b>Cackling Goose</b>	<b>0.0617%</b>
8. <b>Canada Goose</b>	<b>4.80%</b>
9. <b>Mute Swan</b>	<b>0.0269%</b>
10. <b>Trumpeter Swan</b>	<b>0.0154%</b>
11. <b>Tundra Swan</b>	<b>0.0868%</b>
12. <b>Egyptian Goose</b>	<b>0.0026%</b>
13. <b>Wood Duck</b>	<b>0.7783%</b>
14. <b>Baikal Teal</b>	<b>0.0080%</b>
15. <b>Garganey</b>	<b>0.0005%</b>
16. <b>Blue-winged Teal</b>	<b>1.70%</b>
17. <b>Cinnamon Teal</b>	<b>6.38%</b>
18. <b>Northern Shoveler</b>	<b>8.97%</b>
19. <b>Gadwall</b>	<b>4.97%</b>
20. <b>Eurasian Wigeon</b>	<b>0.0875%</b>
21. <b>American Wigeon</b>	<b>8.17%</b>
22. <b>Mallard</b>	<b>10.08%</b>
23. <b>Mexican Duck</b>	<b>1.80%</b>

[Go to top](#)

24. Northern Pintail	3.28%
25. Green-winged Teal	5.88%
26. Canvasback	2.09%
27. Redhead	2.28%
28. Ring-necked Duck	7.40%
29. Tufted Duck	0.0014%
30. Greater Scaup	0.2879%
31. Lesser Scaup	3.31%
32. Harlequin Duck	0.0001%
33. Surf Scoter	0.0669%
34. White-winged Scoter	0.0523%
35. Black Scoter	0.0389%
36. Long-tailed Duck	0.0468%
37. Bufflehead	3.35%
38. Common Goldeneye	1.09%
39. Barrow's Goldeneye	0.1038%
40. Hooded Merganser	0.7841%
41. Common Merganser	2.20%
42. Red-breasted Merganser	0.2492%
43. Ruddy Duck	10.43%
44. Northern Bobwhite	0.0003%
45. Scaled Quail	0.9997%
46. Elegant Quail	0.0003%
47. California Quail	0.0032%
48. Gambel's Quail	21.49%
49. Montezuma Quail	0.8052%

[Go to top](#)

50. <b>Chukar</b>	<b>0.0026%</b>
51. <b>Ring-necked Pheasant</b>	<b>0.0105%</b>
52. <b>Dusky Grouse</b>	<b>0.0228%</b>
53. <b>Wild Turkey</b>	<b>2.35%</b>
54. <b>Least Grebe</b>	<b>0.0905%</b>
55. <b>Pied-billed Grebe</b>	<b>9.84%</b>
56. <b>Horned Grebe</b>	<b>0.1780%</b>
57. <b>Red-necked Grebe</b>	<b>0.0280%</b>
58. <b>Eared Grebe</b>	<b>3.27%</b>
59. <b>Western Grebe</b>	<b>1.96%</b>
60. <b>Clark's Grebe</b>	<b>0.7011%</b>
61. <b>Rock Pigeon</b>	<b>12.75%</b>
62. <b>Band-tailed Pigeon</b>	<b>1.00%</b>
63. <b>Eurasian Collared-Dove</b>	<b>16.69%</b>
64. <b>African Collared-Dove</b>	<b>0.0003%</b>
65. <b>Inca Dove</b>	<b>5.78%</b>
66. <b>Common Ground Dove</b>	<b>1.78%</b>
67. <b>Ruddy Ground Dove</b>	<b>0.1435%</b>
68. <b>White-winged Dove</b>	<b>22.97%</b>
69. <b>Mourning Dove</b>	<b>45.15%</b>
70. <b>Groove-billed Ani</b>	<b>0.0162%</b>
71. <b>Greater Roadrunner</b>	<b>7.84%</b>
72. <b>Yellow-billed Cuckoo</b>	<b>0.9253%</b>
73. <b>Black-billed Cuckoo</b>	<b>0.0001%</b>
74. <b>Lesser Nighthawk</b>	<b>1.84%</b>
75. <b>Common Nighthawk</b>	<b>0.1856%</b>
76. <b>Common Poorwill</b>	<b>0.9214%</b>

[Go to top](#)

77. <b>Buff-collared Nightjar</b>	<b>0.1114%</b>
78. <b>Mexican Whip-poor-will</b>	<b>0.4876%</b>
79. <b>Black Swift</b>	<b>0.0007%</b>
80. <b>Chimney Swift</b>	<b>0.0003%</b>
81. <b>Vaux's Swift</b>	<b>0.2215%</b>
82. <b>White-throated Swift</b>	<b>3.12%</b>
83. <b>Rivoli's Hummingbird</b>	<b>3.57%</b>
84. <b>Plain-capped Starthroat</b>	<b>0.1133%</b>
85. <b>Blue-throated Mountain-gem</b>	<b>1.37%</b>
86. <b>Lucifer Hummingbird</b>	<b>0.4828%</b>
87. <b>Ruby-throated Hummingbird</b>	<b>0.0052%</b>
88. <b>Black-chinned Hummingbird</b>	<b>11.09%</b>
89. <b>Anna's Hummingbird</b>	<b>23.44%</b>
90. <b>Costa's Hummingbird</b>	<b>5.70%</b>
91. <b>Broad-tailed Hummingbird</b>	<b>5.43%</b>
92. <b>Rufous Hummingbird</b>	<b>3.11%</b>
93. <b>Allen's Hummingbird</b>	<b>0.0252%</b>
94. <b>Calliope Hummingbird</b>	<b>0.4404%</b>
95. <b>Broad-billed Hummingbird</b>	<b>10.87%</b>
96. <b>Berylline Hummingbird</b>	<b>0.1330%</b>
97. <b>Cinnamon Hummingbird</b>	<b>0.0000%</b>
98. <b>Violet-crowned Hummingbird</b>	<b>1.31%</b>
99. <b>White-eared Hummingbird</b>	<b>0.1694%</b>
100. <b>Ridgway's Rail</b>	<b>0.1672%</b>
101. <b>Virginia Rail</b>	<b>1.07%</b>
102. <b>Sora</b>	<b>2.53%</b>

[Go to top](#)

103.	<b>Common Gallinule</b>	<b>2.71%</b>
104.	<b>American Coot</b>	<b>18.99%</b>
105.	<b>Purple Gallinule</b>	<b>0.0232%</b>
106.	<b>Black Rail</b>	<b>0.0515%</b>
107.	<b>Sandhill Crane</b>	<b>0.7578%</b>
108.	<b>Common Crane</b>	<b>0.0432%</b>
109.	<b>Black-necked Stilt</b>	<b>4.45%</b>
110.	<b>American Avocet</b>	<b>2.68%</b>
111.	<b>Black-bellied Plover</b>	<b>0.0540%</b>
112.	<b>American Golden-Plover</b>	<b>0.0228%</b>
113.	<b>Pacific Golden-Plover</b>	<b>0.0012%</b>
114.	<b>Lesser Sand-Plover</b>	<b>0.0109%</b>
115.	<b>Snowy Plover</b>	<b>0.0627%</b>
116.	<b>Semipalmated Plover</b>	<b>0.2615%</b>
117.	<b>Killdeer</b>	<b>12.42%</b>
118.	<b>Mountain Plover</b>	<b>0.1221%</b>
119.	<b>Northern Jacana</b>	<b>0.0138%</b>
120.	<b>Upland Sandpiper</b>	<b>0.0026%</b>
121.	<b>Whimbrel</b>	<b>0.0243%</b>
122.	<b>Long-billed Curlew</b>	<b>0.5251%</b>
123.	<b>Hudsonian Godwit</b>	<b>0.0104%</b>
124.	<b>Marbled Godwit</b>	<b>0.1600%</b>
125.	<b>Ruddy Turnstone</b>	<b>0.0058%</b>
126.	<b>Black Turnstone</b>	<b>0.0012%</b>
127.	<b>Red Knot</b>	<b>0.0114%</b>
128.	<b>Ruff</b>	<b>0.0020%</b>

[Go to top](#)

129.	<b>Sharp-tailed Sandpiper</b>	<b>0.0044%</b>
130.	<b>Stilt Sandpiper</b>	<b>0.1783%</b>
131.	<b>Sanderling</b>	<b>0.0458%</b>
132.	<b>Dunlin</b>	<b>0.1629%</b>
133.	<b>Baird's Sandpiper</b>	<b>0.4881%</b>
134.	<b>Least Sandpiper</b>	<b>4.57%</b>
135.	<b>White-rumped Sandpiper</b>	<b>0.0149%</b>
136.	<b>Buff-breasted Sandpiper</b>	<b>0.0016%</b>
137.	<b>Pectoral Sandpiper</b>	<b>0.1117%</b>
138.	<b>Semipalmated Sandpiper</b>	<b>0.0775%</b>
139.	<b>Western Sandpiper</b>	<b>1.20%</b>
140.	<b>Short-billed Dowitcher</b>	<b>0.0472%</b>
141.	<b>Long-billed Dowitcher</b>	<b>2.63%</b>
142.	<b>Wilson's Snipe</b>	<b>1.40%</b>
143.	<b>Wilson's Phalarope</b>	<b>1.21%</b>
144.	<b>Red-necked Phalarope</b>	<b>0.2988%</b>
145.	<b>Red Phalarope</b>	<b>0.0166%</b>
146.	<b>Spotted Sandpiper</b>	<b>4.04%</b>
147.	<b>Solitary Sandpiper</b>	<b>0.4682%</b>
148.	<b>Greater Yellowlegs</b>	<b>2.34%</b>
149.	<b>Willet</b>	<b>0.2703%</b>
150.	<b>Lesser Yellowlegs</b>	<b>0.7434%</b>
151.	<b>Pomarine Jaeger</b>	<b>0.0020%</b>
152.	<b>Parasitic Jaeger</b>	<b>0.0073%</b>
153.	<b>Long-tailed Jaeger</b>	<b>0.0068%</b>
154.	<b>Black-legged Kittiwake</b>	<b>0.0177%</b>
155.	<b>Ivory Gull</b>	<b>0.0000%</b>

[Go to top](#)

156.	<b>Sabine's Gull</b>	<b>0.0563%</b>
157.	<b>Bonaparte's Gull</b>	<b>0.1657%</b>
158.	<b>Little Gull</b>	<b>0.0005%</b>
159.	<b>Laughing Gull</b>	<b>0.0075%</b>
160.	<b>Franklin's Gull</b>	<b>0.2111%</b>
161.	<b>Heermann's Gull</b>	<b>0.0199%</b>
162.	<b>Mew Gull</b>	<b>0.0112%</b>
163.	<b>Ring-billed Gull</b>	<b>1.95%</b>
164.	<b>Western Gull</b>	<b>0.0025%</b>
165.	<b>Yellow-footed Gull</b>	<b>0.0001%</b>
166.	<b>California Gull</b>	<b>0.4115%</b>
167.	<b>Herring Gull</b>	<b>0.1003%</b>
168.	<b>Iceland Gull</b>	<b>0.0126%</b>
169.	<b>Lesser Black-backed Gull</b>	<b>0.0053%</b>
170.	<b>Glaucous-winged Gull</b>	<b>0.0036%</b>
171.	<b>Glaucous Gull</b>	<b>0.0023%</b>
172.	<b>Least Tern</b>	<b>0.0341%</b>
173.	<b>Caspian Tern</b>	<b>0.1359%</b>
174.	<b>Black Tern</b>	<b>0.1289%</b>
175.	<b>Common Tern</b>	<b>0.0400%</b>
176.	<b>Arctic Tern</b>	<b>0.0093%</b>
177.	<b>Forster's Tern</b>	<b>0.2204%</b>
178.	<b>Royal Tern</b>	<b>0.0026%</b>
179.	<b>Elegant Tern</b>	<b>0.0084%</b>
180.	<b>Black Skimmer</b>	<b>0.0031%</b>
181.	<b>Red-throated Loon</b>	<b>0.0347%</b>

[Go to top](#)

182.	<b>Pacific Loon</b>	<b>0.0947%</b>
183.	<b>Common Loon</b>	<b>0.3476%</b>
184.	<b>Yellow-billed Loon</b>	<b>0.0110%</b>
185.	<b>Wedge-rumped Storm-Petrel</b>	<b>0.0047%</b>
186.	<b>Black Storm-Petrel</b>	<b>0.0025%</b>
187.	<b>Least Storm-Petrel</b>	<b>0.0019%</b>
188.	<b>Juan Fernandez Petrel</b>	<b>0.0000%</b>
189.	<b>Wedge-tailed Shearwater</b>	<b>0.0001%</b>
190.	<b>Sooty Shearwater</b>	<b>0.0001%</b>
191.	<b>Black-vented Shearwater</b>	<b>0.0001%</b>
192.	<b>Wood Stork</b>	<b>0.0048%</b>
193.	<b>Magnificent Frigatebird</b>	<b>0.0005%</b>
194.	<b>Blue-footed Booby</b>	<b>0.0247%</b>
195.	<b>Brown Booby</b>	<b>0.0143%</b>
196.	<b>Neotropic Cormorant</b>	<b>6.29%</b>
197.	<b>Double-crested Cormorant</b>	<b>5.30%</b>
198.	<b>American White Pelican</b>	<b>0.9036%</b>
199.	<b>Brown Pelican</b>	<b>0.2699%</b>
200.	<b>American Bittern</b>	<b>0.0966%</b>
201.	<b>Least Bittern</b>	<b>0.4620%</b>
202.	<b>Great Blue Heron</b>	<b>11.74%</b>
203.	<b>Great Egret</b>	<b>7.40%</b>
204.	<b>Snowy Egret</b>	<b>4.29%</b>
205.	<b>Little Blue Heron</b>	<b>0.0109%</b>
206.	<b>Tricolored Heron</b>	<b>0.0736%</b>
207.	<b>Reddish Egret</b>	<b>0.0449%</b>

[Go to top](#)



208.	<b>Cattle Egret</b>	<b>0.5923%</b>
209.	<b>Green Heron</b>	<b>4.44%</b>
210.	<b>Black-crowned Night-Heron</b>	<b>4.06%</b>
211.	<b>Yellow-crowned Night-Heron</b>	<b>0.0006%</b>
212.	<b>White Ibis</b>	<b>0.0046%</b>
213.	<b>Glossy Ibis</b>	<b>0.0083%</b>
214.	<b>White-faced Ibis</b>	<b>2.59%</b>
215.	<b>Roseate Spoonbill</b>	<b>0.0190%</b>
216.	<b>California Condor</b>	<b>0.3117%</b>
217.	<b>Black Vulture</b>	<b>1.71%</b>
218.	<b>Turkey Vulture</b>	<b>21.27%</b>
219.	<b>Osprey</b>	<b>3.09%</b>
220.	<b>White-tailed Kite</b>	<b>0.1953%</b>
221.	<b>Golden Eagle</b>	<b>0.7142%</b>
222.	<b>Mississippi Kite</b>	<b>0.0857%</b>
223.	<b>Northern Harrier</b>	<b>5.27%</b>
224.	<b>Sharp-shinned Hawk</b>	<b>2.20%</b>
225.	<b>Cooper's Hawk</b>	<b>11.20%</b>
226.	<b>Northern Goshawk</b>	<b>0.1825%</b>
227.	<b>Bald Eagle</b>	<b>1.73%</b>
228.	<b>Common Black Hawk</b>	<b>1.07%</b>
229.	<b>Harris's Hawk</b>	<b>2.04%</b>
230.	<b>Gray Hawk</b>	<b>3.33%</b>
231.	<b>Red-shouldered Hawk</b>	<b>0.1345%</b>
232.	<b>Broad-winged Hawk</b>	<b>0.0283%</b>
233.	<b>Short-tailed Hawk</b>	<b>0.0367%</b>
234.	<b>Swainson's Hawk</b>	<b>2.10%</b>

[Go to top](#)

235. <b>Zone-tailed Hawk</b>	<b>1.82%</b>
236. <b>Red-tailed Hawk</b>	<b>20.20%</b>
237. <b>Rough-legged Hawk</b>	<b>0.0589%</b>
238. <b>Ferruginous Hawk</b>	<b>0.5426%</b>
239. <b>Barn Owl</b>	<b>0.3801%</b>
240. <b>Flammulated Owl</b>	<b>0.1164%</b>
241. <b>Whiskered Screech-Owl</b>	<b>0.5849%</b>
242. <b>Western Screech-Owl</b>	<b>0.8958%</b>
243. <b>Great Horned Owl</b>	<b>2.77%</b>
244. <b>Northern Pygmy-Owl</b>	<b>0.4607%</b>
245. <b>Ferruginous Pygmy-Owl</b>	<b>0.0210%</b>
246. <b>Elf Owl</b>	<b>0.7478%</b>
247. <b>Burrowing Owl</b>	<b>0.8735%</b>
248. <b>Spotted Owl</b>	<b>0.2569%</b>
249. <b>Long-eared Owl</b>	<b>0.0673%</b>
250. <b>Short-eared Owl</b>	<b>0.0217%</b>
251. <b>Northern Saw-whet Owl</b>	<b>0.0453%</b>
252. <b>Eared Quetzal</b>	<b>0.0151%</b>
253. <b>Elegant Trogon</b>	<b>1.42%</b>
254. <b>Ringed Kingfisher</b>	<b>0.0059%</b>
255. <b>Belted Kingfisher</b>	<b>3.62%</b>
256. <b>Green Kingfisher</b>	<b>0.0990%</b>
257. <b>Williamson's Sapsucker</b>	<b>0.4346%</b>
258. <b>Yellow-bellied Sapsucker</b>	<b>0.0974%</b>
259. <b>Red-naped Sapsucker</b>	<b>2.83%</b>
260. <b>Red-breasted Sapsucker</b>	<b>0.0709%</b>

[Go to top](#)

261.	<b>Lewis's Woodpecker</b>	<b>0.5330%</b>
262.	<b>Red-headed Woodpecker</b>	<b>0.0086%</b>
263.	<b>Acorn Woodpecker</b>	<b>11.23%</b>
264.	<b>Gila Woodpecker</b>	<b>33.60%</b>
265.	<b>American Three-toed Woodpecker</b>	<b>0.0743%</b>
266.	<b>Downy Woodpecker</b>	<b>0.2698%</b>
267.	<b>Ladder-backed Woodpecker</b>	<b>16.45%</b>
268.	<b>Hairy Woodpecker</b>	<b>4.11%</b>
269.	<b>Arizona Woodpecker</b>	<b>3.11%</b>
270.	<b>Northern Flicker</b>	<b>14.82%</b>
271.	<b>Gilded Flicker</b>	<b>3.62%</b>
272.	<b>Crested Caracara</b>	<b>0.3210%</b>
273.	<b>American Kestrel</b>	<b>11.26%</b>
274.	<b>Merlin</b>	<b>0.7013%</b>
275.	<b>Aplomado Falcon</b>	<b>0.0000%</b>
276.	<b>Peregrine Falcon</b>	<b>1.97%</b>
277.	<b>Prairie Falcon</b>	<b>0.9416%</b>
278.	<b>Rosy-faced Lovebird</b>	<b>1.75%</b>
279.	<b>Yellow-collared Lovebird</b>	<b>0.0114%</b>
280.	<b>Monk Parakeet</b>	<b>0.0212%</b>
281.	<b>Thick-billed Parrot</b>	<b>0.0005%</b>
282.	<b>Nanday Parakeet</b>	<b>0.0152%</b>
283.	<b>Gray-collared Becard</b>	<b>0.0000%</b>
284.	<b>Rose-throated Becard</b>	<b>0.2177%</b>
285.	<b>Northern Beardless-Tyrannulet</b>	<b>1.49%</b>
286.	<b>Tufted Flycatcher</b>	<b>0.1242%</b>

[Go to top](#)

287.	<b>Olive-sided Flycatcher</b>	<b>0.6019%</b>
288.	<b>Greater Pewee</b>	<b>1.04%</b>
289.	<b>Western Wood-Pewee</b>	<b>5.50%</b>
290.	<b>Eastern Wood-Pewee</b>	<b>0.0010%</b>
291.	<b>Yellow-bellied Flycatcher</b>	<b>0.0007%</b>
292.	<b>Willow Flycatcher</b>	<b>0.4903%</b>
293.	<b>Least Flycatcher</b>	<b>0.0012%</b>
294.	<b>Hammond's Flycatcher</b>	<b>1.61%</b>
295.	<b>Gray Flycatcher</b>	<b>2.44%</b>
296.	<b>Dusky Flycatcher</b>	<b>0.9853%</b>
297.	<b>Pine Flycatcher</b>	<b>0.0159%</b>
298.	<b>Pacific-slope Flycatcher</b>	<b>0.8454%</b>
299.	<b>Cordilleran Flycatcher</b>	<b>1.84%</b>
300.	<b>Buff-breasted Flycatcher</b>	<b>0.5640%</b>
301.	<b>Black Phoebe</b>	<b>15.75%</b>
302.	<b>Eastern Phoebe</b>	<b>0.1005%</b>
303.	<b>Say's Phoebe</b>	<b>15.87%</b>
304.	<b>Vermilion Flycatcher</b>	<b>13.36%</b>
305.	<b>Dusky-capped Flycatcher</b>	<b>3.36%</b>
306.	<b>Ash-throated Flycatcher</b>	<b>8.40%</b>
307.	<b>Nutting's Flycatcher</b>	<b>0.0379%</b>
308.	<b>Great Crested Flycatcher</b>	<b>0.0004%</b>
309.	<b>Brown-crested Flycatcher</b>	<b>4.41%</b>
310.	<b>Great Kiskadee</b>	<b>0.0001%</b>
311.	<b>Sulphur-bellied Flycatcher</b>	<b>1.18%</b>
312.	<b>Tropical Kingbird</b>	<b>0.8512%</b>
313.	<b>Couch's Kingbird</b>	<b>0.0151%</b>

[Go to top](#)

314.	<b>Cassin's Kingbird</b>	<b>7.00%</b>
315.	<b>Thick-billed Kingbird</b>	<b>0.4907%</b>
316.	<b>Western Kingbird</b>	<b>6.83%</b>
317.	<b>Eastern Kingbird</b>	<b>0.0062%</b>
318.	<b>Scissor-tailed Flycatcher</b>	<b>0.0126%</b>
319.	<b>White-eyed Vireo</b>	<b>0.0115%</b>
320.	<b>Bell's Vireo</b>	<b>7.67%</b>
321.	<b>Gray Vireo</b>	<b>0.2715%</b>
322.	<b>Hutton's Vireo</b>	<b>4.21%</b>
323.	<b>Yellow-throated Vireo</b>	<b>0.0238%</b>
324.	<b>Cassin's Vireo</b>	<b>1.34%</b>
325.	<b>Blue-headed Vireo</b>	<b>0.0006%</b>
326.	<b>Plumbeous Vireo</b>	<b>4.95%</b>
327.	<b>Philadelphia Vireo</b>	<b>0.0025%</b>
328.	<b>Warbling Vireo</b>	<b>3.02%</b>
329.	<b>Red-eyed Vireo</b>	<b>0.0127%</b>
330.	<b>Yellow-green Vireo</b>	<b>0.0084%</b>
331.	<b>Loggerhead Shrike</b>	<b>5.58%</b>
332.	<b>Northern Shrike</b>	<b>0.0058%</b>
333.	<b>Canada Jay</b>	<b>0.0336%</b>
334.	<b>Black-throated Magpie-Jay</b>	<b>0.0006%</b>
335.	<b>Pinyon Jay</b>	<b>0.5943%</b>
336.	<b>Steller's Jay</b>	<b>5.54%</b>
337.	<b>Blue Jay</b>	<b>0.0005%</b>
338.	<b>California Scrub-Jay</b>	<b>0.0022%</b>
339.	<b>Woodhouse's Scrub-Jay</b>	<b>4.51%</b>

[Go to top](#)

340.	<b>Mexican Jay</b>	<b>8.41%</b>
341.	<b>Black-billed Magpie</b>	<b>0.0090%</b>
342.	<b>Clark's Nutcracker</b>	<b>0.3460%</b>
343.	<b>American Crow</b>	<b>2.36%</b>
344.	<b>Chihuahuan Raven</b>	<b>1.84%</b>
345.	<b>Common Raven</b>	<b>27.37%</b>
346.	<b>Black-capped Chickadee</b>	<b>0.0017%</b>
347.	<b>Mountain Chickadee</b>	<b>4.75%</b>
348.	<b>Mexican Chickadee</b>	<b>0.4460%</b>
349.	<b>Bridled Titmouse</b>	<b>10.06%</b>
350.	<b>Juniper Titmouse</b>	<b>1.91%</b>
351.	<b>Verdin</b>	<b>30.05%</b>
352.	<b>Horned Lark</b>	<b>2.43%</b>
353.	<b>Northern Rough-winged Swallow</b>	<b>7.96%</b>
354.	<b>Purple Martin</b>	<b>1.31%</b>
355.	<b>Brown-chested Martin</b>	<b>0.0001%</b>
356.	<b>Tree Swallow</b>	<b>2.35%</b>
357.	<b>Violet-green Swallow</b>	<b>5.22%</b>
358.	<b>Bank Swallow</b>	<b>0.5969%</b>
359.	<b>Barn Swallow</b>	<b>6.70%</b>
360.	<b>Cliff Swallow</b>	<b>4.00%</b>
361.	<b>Cave Swallow</b>	<b>0.0056%</b>
362.	<b>Bushtit</b>	<b>3.77%</b>
363.	<b>Golden-crowned Kinglet</b>	<b>0.2529%</b>
364.	<b>Ruby-crowned Kinglet</b>	<b>15.98%</b>
365.	<b>Red-breasted Nuthatch</b>	<b>1.61%</b>

[Go to top](#)

366.	<b>White-breasted Nuthatch</b>	<b><u>14.28%</u></b>
367.	<b>Pygmy Nuthatch</b>	<b><u>4.88%</u></b>
368.	<b>Brown Creeper</b>	<b><u>3.09%</u></b>
369.	<b>Blue-gray Gnatcatcher</b>	<b><u>4.48%</u></b>
370.	<b>Black-tailed Gnatcatcher</b>	<b><u>9.24%</u></b>
371.	<b>Black-capped Gnatcatcher</b>	<b>0.4823%</b>
372.	<b>Rock Wren</b>	<b><u>5.31%</u></b>
373.	<b>Canyon Wren</b>	<b><u>6.62%</u></b>
374.	<b>House Wren</b>	<b><u>7.75%</u></b>
375.	<b>Pacific Wren</b>	<b>0.0552%</b>
376.	<b>Winter Wren</b>	<b>0.0621%</b>
377.	<b>Sedge Wren</b>	<b>0.0036%</b>
378.	<b>Marsh Wren</b>	<b><u>3.73%</u></b>
379.	<b>Carolina Wren</b>	<b>0.0072%</b>
380.	<b>Bewick's Wren</b>	<b><u>15.05%</u></b>
381.	<b>Cactus Wren</b>	<b><u>15.52%</u></b>
382.	<b>Sinaloa Wren</b>	<b>0.1193%</b>
383.	<b>American Dipper</b>	<b>0.0901%</b>
384.	<b>European Starling</b>	<b><u>14.36%</u></b>
385.	<b>Blue Mockingbird</b>	<b>0.0088%</b>
386.	<b>Gray Catbird</b>	<b>0.1062%</b>
387.	<b>Curve-billed Thrasher</b>	<b><u>21.83%</u></b>
388.	<b>Brown Thrasher</b>	<b>0.0515%</b>
389.	<b>Bendire's Thrasher</b>	<b>0.7043%</b>
390.	<b>LeConte's Thrasher</b>	<b>0.1863%</b>
391.	<b>Crissal Thrasher</b>	<b><u>2.42%</u></b>
392.	<b>Sage Thrasher</b>	<b>0.4477%</b>

[Go to top](#)

393.	<b>Northern Mockingbird</b>	<b>17.67%</b>
394.	<b>Eastern Bluebird</b>	<b>0.3060%</b>
395.	<b>Western Bluebird</b>	<b>6.79%</b>
396.	<b>Mountain Bluebird</b>	<b>0.7925%</b>
397.	<b>Townsend's Solitaire</b>	<b>1.26%</b>
398.	<b>Brown-backed Solitaire</b>	<b>0.0012%</b>
399.	<b>Varied Thrush</b>	<b>0.0341%</b>
400.	<b>Veery</b>	<b>0.0003%</b>
401.	<b>Swainson's Thrush</b>	<b>0.2893%</b>
402.	<b>Hermit Thrush</b>	<b>5.87%</b>
403.	<b>Wood Thrush</b>	<b>0.0035%</b>
404.	<b>Aztec Thrush</b>	<b>0.0117%</b>
405.	<b>White-throated Thrush</b>	<b>0.0543%</b>
406.	<b>Clay-colored Thrush</b>	<b>0.0122%</b>
407.	<b>American Robin</b>	<b>9.28%</b>
408.	<b>Rufous-backed Robin</b>	<b>0.2386%</b>
409.	<b>Northern Wheatear</b>	<b>0.0000%</b>
410.	<b>Bohemian Waxwing</b>	<b>0.0000%</b>
411.	<b>Cedar Waxwing</b>	<b>1.33%</b>
412.	<b>Phainopepla</b>	<b>14.29%</b>
413.	<b>Olive Warbler</b>	<b>1.12%</b>
414.	<b>Scaly-breasted Munia</b>	<b>0.0001%</b>
415.	<b>House Sparrow</b>	<b>20.22%</b>
416.	<b>White Wagtail</b>	<b>0.0091%</b>
417.	<b>Red-throated Pipit</b>	<b>0.0001%</b>
418.	<b>American Pipit</b>	<b>2.15%</b>

[Go to top](#)



419.	<b>Sprague's Pipit</b>	<b>0.0300%</b>
420.	<b>Evening Grosbeak</b>	<b>0.3458%</b>
421.	<b>Pine Grosbeak</b>	<b>0.0048%</b>
422.	<b>Gray-crowned Rosy-Finch</b>	<b>0.0096%</b>
423.	<b>Black Rosy-Finch</b>	<b>0.0127%</b>
424.	<b>House Finch</b>	<b>44.90%</b>
425.	<b>Purple Finch</b>	<b>0.0212%</b>
426.	<b>Cassin's Finch</b>	<b>1.23%</b>
427.	<b>Common Redpoll</b>	<b>0.0007%</b>
428.	<b>Red Crossbill</b>	<b>0.8126%</b>
429.	<b>White-winged Crossbill</b>	<b>0.0003%</b>
430.	<b>European Goldfinch</b>	<b>0.0001%</b>
431.	<b>Pine Siskin</b>	<b>5.46%</b>
432.	<b>Lesser Goldfinch</b>	<b>31.06%</b>
433.	<b>Lawrence's Goldfinch</b>	<b>0.5029%</b>
434.	<b>American Goldfinch</b>	<b>0.5797%</b>
435.	<b>Lapland Longspur</b>	<b>0.0263%</b>
436.	<b>Chestnut-collared Longspur</b>	<b>0.2177%</b>
437.	<b>Smith's Longspur</b>	<b>0.0043%</b>
438.	<b>McCown's Longspur</b>	<b>0.0532%</b>
439.	<b>Snow Bunting</b>	<b>0.0003%</b>
440.	<b>Little Bunting</b>	<b>0.0004%</b>
441.	<b>Rufous-winged Sparrow</b>	<b>5.12%</b>
442.	<b>Botteri's Sparrow</b>	<b>1.06%</b>
443.	<b>Cassin's Sparrow</b>	<b>0.8304%</b>
444.	<b>Grasshopper Sparrow</b>	<b>0.3597%</b>

[Go to top](#)

445.	<b>Chipping Sparrow</b>	<b>10.62%</b>
446.	<b>Clay-colored Sparrow</b>	<b>0.0832%</b>
447.	<b>Black-chinned Sparrow</b>	<b>1.04%</b>
448.	<b>Field Sparrow</b>	<b>0.0006%</b>
449.	<b>Brewer's Sparrow</b>	<b>4.04%</b>
450.	<b>Black-throated Sparrow</b>	<b>9.68%</b>
451.	<b>Five-striped Sparrow</b>	<b>0.2792%</b>
452.	<b>Lark Sparrow</b>	<b>5.78%</b>
453.	<b>Lark Bunting</b>	<b>1.06%</b>
454.	<b>American Tree Sparrow</b>	<b>0.0007%</b>
455.	<b>Fox Sparrow</b>	<b>0.1911%</b>
456.	<b>Dark-eyed Junco</b>	<b>9.40%</b>
457.	<b>Yellow-eyed Junco</b>	<b>4.08%</b>
458.	<b>White-crowned Sparrow</b>	<b>21.29%</b>
459.	<b>Golden-crowned Sparrow</b>	<b>0.0930%</b>
460.	<b>Harris's Sparrow</b>	<b>0.0582%</b>
461.	<b>White-throated Sparrow</b>	<b>0.5032%</b>
462.	<b>Sagebrush Sparrow</b>	<b>0.2784%</b>
463.	<b>Bell's Sparrow</b>	<b>0.0405%</b>
464.	<b>Vesper Sparrow</b>	<b>3.10%</b>
465.	<b>LeConte's Sparrow</b>	<b>0.0020%</b>
466.	<b>Nelson's Sparrow</b>	<b>0.0000%</b>
467.	<b>Savannah Sparrow</b>	<b>2.62%</b>
468.	<b>Baird's Sparrow</b>	<b>0.0649%</b>
469.	<b>Song Sparrow</b>	<b>11.93%</b>
470.	<b>Lincoln's Sparrow</b>	<b>6.56%</b>
471.	<b>Swamp Sparrow</b>	<b>0.2451%</b>

[Go to top](#)

472.	<b>Canyon Towhee</b>	<b>8.48%</b>
473.	<b>Abert's Towhee</b>	<b>19.54%</b>
474.	<b>Rufous-crowned Sparrow</b>	<b>3.96%</b>
475.	<b>Green-tailed Towhee</b>	<b>4.63%</b>
476.	<b>Spotted Towhee</b>	<b>8.89%</b>
477.	<b>Eastern Towhee</b>	<b>0.0001%</b>
478.	<b>Yellow-breasted Chat</b>	<b>3.62%</b>
479.	<b>Yellow-headed Blackbird</b>	<b>3.40%</b>
480.	<b>Bobolink</b>	<b>0.0064%</b>
481.	<b>Western Meadowlark</b>	<b>2.85%</b>
482.	<b>Eastern Meadowlark</b>	<b>1.68%</b>
483.	<b>Orchard Oriole</b>	<b>0.0153%</b>
484.	<b>Hooded Oriole</b>	<b>4.04%</b>
485.	<b>Streak-backed Oriole</b>	<b>0.0972%</b>
486.	<b>Bullock's Oriole</b>	<b>3.51%</b>
487.	<b>Baltimore Oriole</b>	<b>0.0446%</b>
488.	<b>Scott's Oriole</b>	<b>2.53%</b>
489.	<b>Red-winged Blackbird</b>	<b>13.44%</b>
490.	<b>Bronzed Cowbird</b>	<b>1.72%</b>
491.	<b>Brown-headed Cowbird</b>	<b>8.72%</b>
492.	<b>Rusty Blackbird</b>	<b>0.0230%</b>
493.	<b>Brewer's Blackbird</b>	<b>3.54%</b>
494.	<b>Common Grackle</b>	<b>0.0042%</b>
495.	<b>Great-tailed Grackle</b>	<b>21.43%</b>
496.	<b>Ovenbird</b>	<b>0.0220%</b>
497.	<b>Worm-eating Warbler</b>	<b>0.0094%</b>

[Go to top](#)

498.	<b>Louisiana Waterthrush</b>	<b>0.1033%</b>
499.	<b>Northern Waterthrush</b>	<b>0.1042%</b>
500.	<b>Golden-winged Warbler</b>	<b>0.0021%</b>
501.	<b>Blue-winged Warbler</b>	<b>0.0012%</b>
502.	<b>Black-and-white Warbler</b>	<b>0.2819%</b>
503.	<b>Prothonotary Warbler</b>	<b>0.0177%</b>
504.	<b>Swainson's Warbler</b>	<b>0.0000%</b>
505.	<b>Crescent-chested Warbler</b>	<b>0.0432%</b>
506.	<b>Tennessee Warbler</b>	<b>0.0243%</b>
507.	<b>Orange-crowned Warbler</b>	<b>7.20%</b>
508.	<b>Lucy's Warbler</b>	<b>8.80%</b>
509.	<b>Nashville Warbler</b>	<b>0.9742%</b>
510.	<b>Virginia's Warbler</b>	<b>1.37%</b>
511.	<b>Connecticut Warbler</b>	<b>0.0000%</b>
512.	<b>MacGillivray's Warbler</b>	<b>1.45%</b>
513.	<b>Mourning Warbler</b>	<b>0.0006%</b>
514.	<b>Kentucky Warbler</b>	<b>0.0039%</b>
515.	<b>Common Yellowthroat</b>	<b>6.69%</b>
516.	<b>Hooded Warbler</b>	<b>0.0426%</b>
517.	<b>American Redstart</b>	<b>0.1005%</b>
518.	<b>Cape May Warbler</b>	<b>0.0037%</b>
519.	<b>Northern Parula</b>	<b>0.1847%</b>
520.	<b>Tropical Parula</b>	<b>0.0109%</b>
521.	<b>Magnolia Warbler</b>	<b>0.0186%</b>
522.	<b>Bay-breasted Warbler</b>	<b>0.0041%</b>
523.	<b>Blackburnian Warbler</b>	<b>0.0043%</b>

[Go to top](#)

524.	<b>Yellow Warbler</b>	<b>8.12%</b>
525.	<b>Chestnut-sided Warbler</b>	<b>0.0780%</b>
526.	<b>Blackpoll Warbler</b>	<b>0.0109%</b>
527.	<b>Black-throated Blue Warbler</b>	<b>0.0166%</b>
528.	<b>Palm Warbler</b>	<b>0.0349%</b>
529.	<b>Pine Warbler</b>	<b>0.0116%</b>
530.	<b>Yellow-rumped Warbler</b>	<b>22.03%</b>
531.	<b>Yellow-throated Warbler</b>	<b>0.0309%</b>
532.	<b>Prairie Warbler</b>	<b>0.0217%</b>
533.	<b>Grace's Warbler</b>	<b>2.10%</b>
534.	<b>Black-throated Gray Warbler</b>	<b>4.98%</b>
535.	<b>Townsend's Warbler</b>	<b>2.16%</b>
536.	<b>Hermit Warbler</b>	<b>0.8186%</b>
537.	<b>Black-throated Green Warbler</b>	<b>0.0143%</b>
538.	<b>Fan-tailed Warbler</b>	<b>0.0114%</b>
539.	<b>Rufous-capped Warbler</b>	<b>0.2693%</b>
540.	<b>Canada Warbler</b>	<b>0.0009%</b>
541.	<b>Wilson's Warbler</b>	<b>5.55%</b>
542.	<b>Red-faced Warbler</b>	<b>1.64%</b>
543.	<b>Painted Redstart</b>	<b>4.80%</b>
544.	<b>Slate-throated Redstart</b>	<b>0.0563%</b>
545.	<b>Hepatic Tanager</b>	<b>3.30%</b>
546.	<b>Summer Tanager</b>	<b>5.09%</b>
547.	<b>Scarlet Tanager</b>	<b>0.0030%</b>
548.	<b>Western Tanager</b>	<b>5.97%</b>
549.	<b>Flame-colored Tanager</b>	<b>0.1230%</b>
550.	<b>Northern Cardinal</b>	<b>14.72%</b>

[Go to top](#)

551. <b>Pyrrhuloxia</b>	<b>7.20%</b>
552. <b>Yellow Grosbeak</b>	<b>0.0032%</b>
553. <b>Rose-breasted Grosbeak</b>	<b>0.0888%</b>
554. <b>Black-headed Grosbeak</b>	<b>8.20%</b>
555. <b>Blue Grosbeak</b>	<b>5.25%</b>
556. <b>Lazuli Bunting</b>	<b>3.68%</b>
557. <b>Indigo Bunting</b>	<b>0.3775%</b>
558. <b>Varied Bunting</b>	<b>1.33%</b>
559. <b>Painted Bunting</b>	<b>0.1104%</b>
560. <b>Dickcissel</b>	<b>0.0599%</b>